

DAFTAR PUSTAKA

- Aisyah, S., Harjanti, R., & Nopiyanti, V. (2019). Pengaruh Panjang Rantai Karbon Lipid Padat terhadap Karakteristik Nanostructured Lipid Carrier Resveratrol. *JPharm Sci*, 2, 71.
- Ameliana, L. (2014). *Pengembangan Sediaan Transdermal Patch Meloxicam Tipe Matriks Dalam Beberapa Kombinasi Polimer*.
<http://repository.unej.ac.id/handle/123456789/58991>
- Anggraeni, Y., & Hendradi, E. (2017). Physical and Chemical Characteristics of Meloxicam from Nanostructured Lipid Carriers System Using Some Concentration Ratios of Monostearin and Alpha-Tocopherolacetate Lipid Matrix. *Asian Journal of Pharmaceutical and Clinical Research*, 10(2), 132–137.
- Anggraeni, Y., Hendradi, E., & Purwanti, T. (2012). *KARAKTERISTIK SEDIAAN DAN PELEPASAN NATRIUM DIKLOFENAK DALAM SISTEM NIOSOM DENGAN BASIS GEL CARBOMER 940*. 15.
- Annisa, R., Hendradi, E., & Melani, D. (2016). Pengembangan sistem nanostructured lipid carriers (NLC) meloxicam dengan lipid monostearin dan miglyol 808 menggunakan metode emulsifikasi. *Journal of Tropical Pharmacy and Chemistry*, 3(3), 156–169.
- Banerjee, S., & Kundu, A. (2018). Lipid-drug conjugates: A potential nanocarrier system for oral drug delivery applications. *DARU Journal of*

- Christensen, S. E., Cooper, S. A., Mack, R. J., McCallum, S. W., Du, W., & Freyer, A. (2018). A randomized double-blind controlled trial of intravenous meloxicam in the treatment of pain following dental impaction surgery. *The Journal of Clinical Pharmacology*, 58(5), 593–605.
- Cirri, M., Bragagni, M., Mennini, N., & Mura, P. (2012). Development of a new delivery system consisting in “drug – in cyclodextrin – in nanostructured lipid carriers” for ketoprofen topical delivery. *80*(1),
- Cirri, M., Maestrini, L., Maestrelli, F., Mennini, N., Mura, P., Ghelardini, C., & Di Cesare Mannelli, L. (2018). Design, characterization and in vivo evaluation of nanostructured lipid carriers (NLC) as a new drug delivery system for hydrochlorothiazide oral administration in pediatric therapy. *Drug Delivery*, 25(1), 1910–1921.
- Farmakope Indonesia VI / Direktorat Jenderal Kefarmasian dan Alat Kesehatan.* (n.d.). Retrieved November 29, 2021, from
<https://farmalkes.kemkes.go.id/unduh/farmakope-indonesia-vi/>
- Fauziah, F. R., Darusman, F., & Aryani, R. (2021). Studi Literatur Formulasi dan Karakterisasi Solid Lipid Nanoparticles (SLN) untuk Meningkatkan Bioavailabilitas Obat. *Prosiding Farmasi*, 0, 599–605.
<https://doi.org/10.29313/.v0i0.29977>
- Gaba, B., Fazil, M., Khan, S., Ali, A., Baboota, S., & Ali, J. (2015). Nanostructured lipid carrier system for topical delivery of terbinafine hydrochloride. *Bulletin of Faculty of Pharmacy, Cairo University*, 53(2), 147–159.
- Han, F., Yin, R., Che, X., Yuan, J., Cui, Y., Yin, H., & Li, S. (2012). Nanostructured lipid carriers (NLC) based topical gel of flurbiprofen: Design, characterization and in vivo evaluation. *International Journal of Pharmaceutics*, 439(1), 349–357.
<https://doi.org/10.1016/j.ijpharm.2012.08.040>
- Hasan, S. (2015). *A Review on Nanoparticles: Their Synthesis and Types*. 4, 1–3.
- Joshi, M. D., Prabhu, R. H., & Patravale, V. B. (2019). Fabrication of nanostructured lipid carriers (NLC)-based gels from microemulsion template for delivery through skin. In *Pharmaceutical Nanotechnology* (pp. 279–292). Springer.

- Katzung, B. G., Masters, S. B., & Trevor, A. J. (2014). Farmakologi Dasar & Klinik, Vol. 2, Edisi 12, Editor Bahasa Indonesia Ricky Soeharsono et al. *Penerbit Buku Kedokteran EGC, Jakarta.*
- Kalangi, S. J. (2013). Histofisiologi kulit. *JURNAL BIOMEDIK: JBM*, 5(3).
- Khalil, N. Y., & Aldosari, K. F. (2020). Meloxicam. In *Profiles of Drug Substances, Excipients and Related Methodology* (Vol. 45, pp. 159–197). Elsevier.
- Khosa, A., Reddi, S., & Saha, R. N. (2018). Nanostructured lipid carriers for site-specific drug delivery. *Biomedicine & Pharmacotherapy*, 103, 598–613.
- Khusna, Y., Irawan, E. D., & Sari, L. O. R. K. (2015). Optimasi Komposisi Pelarut Gliserin dan Propilen Glikol terhadap Disolusi Tablet Meloksikam Metode Likuisolid Menggunakan Simplex Lattice Design (Optimization Composition of Glycerin and Propylene Glycol Solvent on Dissolution of Meloxycam Tabletwith Li. *Pustaka Kesehatan*, 3(2), 257–261.
- Helmi, Z. N. (2012). Buku ajar gangguan muskuloskeletal. *Jakarta: Salemba Medika*, 296.
- Hoan, T. T., & Kirana, R. (2013). Obat-Obat Penting Edisi 6. *Elex Media Komputindo. Jakarta. Indonesian Reumatology Association. 2014. Rekomendasi... - Google Cendekia.* (n.d.). Retrieved February 10, 2022, from https://scholar.google.com/scholar?hl=id&as_sdt=0%2C5&q=Indonesian+Reumatology+Association.++2014.+Rekomendasi+IRA+untuk++Diagnosis+dan+Penata&btnG=
- Hariyadi, D. M., Rosita, N., & Rahayu, A. (2019). Design, optimization and characterization of glutathione loaded-alginate microspheres for topical antiaging. *Journal of Pharmacy & Pharmacognosy Research*, 7(4), 223–233.
- Lovell, A. R., & Ernst, M. E. (2017). Drug-induced hypertension: Focus on mechanisms and management. *Current Hypertension Reports*, 19(5), 1–12.
- Lakshmi, P., & Kumar, G. A. (2010). Nanosuspension technology: A review. *Int J Pharm Sci*, 2(4), 35–40.

- Lambers, H., Piessens, S., Bloem, A., Pronk, H., & Finkel, P. (2006). Natural skin surface pH is on average below 5, which is beneficial for its resident flora. *International Journal of Cosmetic Science*, 28(5), 359–370.
- Lasoń, E., Sikora, E., & Ogonowski, J. (2013). Influence of process parameters on properties of Nanostructured Lipid Carriers (NLC) formulation. *Acta Biochimica Polonica*, 60(4), 773–777.
- Li, S., Su, Z., Sun, M., Xiao, Y., Cao, F., Huang, A., Li, H., Ping, Q., & Zhang, C. (2012). An arginine derivative contained nanostructure lipid carriers with pH- sensitive membranolytic capability for lysosomolytic anti-cancer drug delivery. *International Journal of Pharmaceutics*, 436(1–2), 248–257.
- Iego, S. (2012). *A guide to dynamic light scattering measurement and analysis*. NanoComposix.
- Marwah, H., Garg, T., Goyal, A. K., & Rath, G. (2016). Permeation enhancer strategies in transdermal drug delivery. *Drug Delivery*, 23(2), 564–578.
- Mangku, G., & Senapathi, T. G. A. (2010). Keseimbangan Cairan dan Elektrolit. Dalam Buku Ajar Ilmu Anestesi dan Reanimasi. Jakarta: Indeks.
- Müller, R. H., Petersen, R. D., Hommoss, A., & Pardeike, J. (2007). Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Advanced Drug Delivery Reviews*, 59(6), 522–530. <https://doi.org/10.1016/j.addr.2007.04.012>
- Mutiatikum, D., & Raini, M. (2019). Profil Disolusi dan Penetapan Kadar Tablet Meloksikam Inovator dan Generik Bermerek dengan Kckt (Kromatografi Cair Kinerja Tinggi)
- Mohanraj, V. J., & Chen, Y. (2006). Trop J. Pharm. Res., 5, 561–573.
- Rahayu, A. (2020). Metode Validasi Flame Atomic Absorption Spectrometry (FAAS) Metode Destruksi Kering dan Destruksi Basah untuk Analisis Mineral Minuman Air Isotonik. *FARMASIS: Jurnal Sains Farmasi*, 1(1), 6–13.
- Rahayu, A., Rosyida, D. A. C., & Nuraini, I. (2022). FORMULASI DAN OPTIMASI NANOSTRUCTURED LIPID CARRIERS (NLC) KETOKONAZOL MENGGUNAKAN FULL FACTORIAL DESIGN:

- FORMULATION AND OPTIMIZATION OF NANOSTRUCTURED LIPID CARRIERS (NLC) KETOCONAZOLE USING FULL FACTORIAL DESIGN. *Medical Sains : Jurnal Ilmiah Kefarmasian*, 7(3), 561–570. <https://doi.org/10.37874/ms.v7i3.448>
- Rahayu, A., Sari, D. P., & Ebtavanny, T. G. (2019). Design, Optimization and Characterization of Cefixime Microspheres. *Int J Pharma Res Heal Sci*, 7(5), 3051–3055.
- Naseri, N., Valizadeh, H., & Zakeri-Milani, P. (2015). *Solid lipid nanoparticles and nanostructured lipid carriers: Structure, preparation and application*. *Advanced Pharmaceutical Bulletin*, 5(3), 305.
- Natarajan, J., Karri, V., & Anindita, D. (2017). *Nanostructured lipid carrier (NLC): A promising drug delivery system*. *Global Journal of Nanomedicine*, 1(5), 001– 006.
- Negara, J. K., Sio, A. K., Rifkhan, R., Arifin, M., Oktaviana, A. Y., Wihansah, R. R. S., & Yusuf, M. (2016). Aspek mikrobiologis, serta Sensori (Rasa, Warna, Tekstur, Aroma) Pada Dua Bentuk Penyajian Keju yang Berbeda. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 4(2), 286–290.
- Nuraeni, W., Daruwati, I., Widyasari, E. M., & Sriyani, M. E. (2013). *Verifikasi Kinerja Alat Particle Size Analyzer (PSA) Horiba LB-550 Untuk Penentuan Distribusi Ukuran Nanopartikel*.
- Rachmawati, E., & Pradana, A. A. (2021). *MANDI MALAM MENYEBABKAN RHEUMATOID ARTHRITIS (REMATIK): TELAAH SINGKAT*. SocArXiv.<https://doi.org/10.31235/osf.io/ws3df>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019). Formulasi dan Stabilitas *Nanostructured Lipid Carrier* dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1).
- Rowe, R. C., Sheskey, P., & Quinn, M. (2009). *Handbook of pharmaceutical excipients*. Libros Digitales-Pharmaceutical Press.
- Salsabilla, F. R. (2020). *PERBANDINGAN KARAKTERISASI SISTEM*

NANOSTRUCTURED LIPID CARRIER (NLC) DAUN Chrysanthemum cinerariifolium (Trev.) Vis DENGAN VARIASI KONSENTRASI LIPID [PhD Thesis]. Universitas Islam Negeri Maulana Malik Ibrahim.

- Selvamuthukumar, S., & Velmurugan, R. (2012). Nanostructured lipid carriers: A potential drug carrier for cancer chemotherapy. *Lipids in Health and Disease*, 11(1), 1–8.
- Severino, P., Andreani, T., Macedo, A. S., Fangueiro, J. F., Santana, M. H. A., Silva, M., & Souto, E. B. (2012). Current State-of-Art and New Trends on Lipid Nanoparticles (SLN and NLC) for Oral Drug Delivery. *Journal of Drug Delivery*, 2012, 750891.
- Singhal, G. B., Patel, R. P., Prajapati, B. G., & Patel, N. A. (2011). Solid lipid nanoparticles and nano lipid carriers: As novel solid lipid based drug carrier. *Int Res J Pharm*, 2(2), 20–52.
- Souto, E. B., & Müller, R. H. (2007). Lipid Nanoparticles (Solid Lipid Nanoparticles and Nanostructured Lipid Carriers) for Cosmetic, Dermal, and Transdermal Applications. In *Nanoparticulate Drug Delivery Systems*. CRC Press.
- Suprapto, S. (2019). Formulasi Napolion (Nanopartikel Lotion) Antiinflamasi Kombinasi Ekstrak Daun Gelenggang Dan Sirih Merah. *Jurnal Farmasi (Journal of Pharmacy)*, 1(1), 1–9.
- Tanwar, H., Sachdeva, R., Garg, M., & Sirsa, H. (2016). A REVIEW: *CHEMICAL PENETRATION ENHENCERS FOR TRANSDERMAL DRUG DELIVERY SYSTEMS*
- Trommer, H., & Neubert, R. H. H. (2006). Overcoming the Stratum Corneum: The Modulation of Skin Penetration. *Skin Pharmacology and Physiology*, 19(2), 106–121. <https://doi.org/10.1159/000091978>
- Uprit, S., Sahu, R. K., Roy, A., & Pare, A. (2013). Preparation and characterization of minoxidil loaded nanostructured lipid carrier gel for effective treatment of alopecia. *Saudi Pharmaceutical Journal*, 21(4), 379–385.
- Voigt, R., & Soewandhi, S. N. (1994). *Buku pelajaran teknologi farmasi*. Gadjah Mada University Press.

- MadaUniversity Press.
- Waranugraha, Y., Suryana, B. P., & Pratomo, B. (2013). Hubungan pola penggunaan OAINS dengan gejala klinis gastropati pada pasien reumatik. *Jurnal Kedokteran Brawijaya*, 26(2), 107–112.
- Zhang, T., Chen, J., Zhang, Y., Shen, Q., & Pan, W. (2011). Characterization and evaluation of nanostructured lipid carrier as a vehicle for oral delivery of etoposide. *European Journal of Pharmaceutical Sciences*, 43(3), 174–179.
- Zhuang, C.-Y., Li, N., Wang, M., Zhang, X.-N., Pan, W.-S., Peng, J. (2010). Preparation and characterization of vincristine loaded nanostructured lipid carriers (NLC) for improved oral bioavailability. *International Journal of Pharmaceutics*, 394(1–2), 179–18