

DAFTAR PUSTAKA

- Afina, F.A., 2015. Pengaruh Kadar Asam Oleat Pada Sistem NLC Dengan Lipid Setil Alkohol: Asam Oleat Dibandingkan Dengan SLN Terhadap Laju Pelepasan APMS (PhD Thesis). Universitas Airlangga.
- Aisiyah, S., Harjanti, R., Nopiyanti, V., 2019. Pengaruh Panjang Rantai Karbon Lipid Padat terhadap Karakteristik Nanostructured Lipid Carrier Resveratrol. *J Pharm Sci* 2, 71.
- Aksa, R., Cahyono, F.J., 2020. Optimasi Variasi Konsentrasi Lipid Terhadap Karakteristik Fisik Solid Lipid Nanoparticle (SLN) Glibenklamid.
- Ameliana, L., 2013. Pengembangan Sediaan Transdermal Patch Meloksikam Tipe Matriks Dalam Beberapa Kombinasi Polimer.
- Annisa, R., Hendradi, E., Melani, D., 2016. Pengembangan sistem nanostructured lipid carriers (NLC) meloxicam dengan lipid monostearin dan miglyol 808 menggunakan metode emulsifikasi. *J. Trop. Pharm. Chem.* 3, 156–169.
- Annisa, R., Melani, D., Hendradi, E., 2018. Evaluation of the Physical Stability of Nanostructured Lipid Carrier (NLC) Meloxicam Before and After Storage 40 Days. *Int. J. Drug Deliv. Technol.* 8. <https://doi.org/10.25258/ijddt.v8i2.13876>
- Aronson, J.K. (Ed.), 2006. *Meyler's Side Effects of Drugs, Fifteenth Edition: The International Encyclopedia of Adverse Drug Reactions and Interactions*, 15th edition. ed. Elsevier Science, Amsterdam.
- Ayunin, K., 2017. Formulasi dan uji pelepasan meloxicam dalam sistem nanoemulsi menggunakan kombinasi fase minyak palm oil dan virgin coconut oil (PhD Thesis). Universitas Islam Negeri Maulana Malik Ibrahim.
- Bastian, F., Suryani, A., Sunarti, T.C., 2012. Peningkatan Kecerahan Pada Proses Sintesis Surfaktan Nonionik Alkil Poliglikosida (APG) Berbasis Tapioka Dan Dodekanol. *Reaktor* 14, 143–150.
- Benson, H.A.E., Watkinson, A.C. (Eds.), 2012. Frontmatter, in: *Topical and Transdermal Drug Delivery*. John Wiley & Sons, Inc., Hoboken, NJ, USA, pp. i–xv. <https://doi.org/10.1002/9781118140505.fmatter>
- Chen, C.-C., Tsai, T.-H., Huang, Z.-R., Fang, J.-Y., 2010. Effects of lipophilic emulsifiers on the oral administration of lovastatin from nanostructured lipid carriers: physicochemical characterization and pharmacokinetics. *Eur. J. Pharm. Biopharm.* 74, 474–482.
- Chen-yu, G., Chun-fen, Y., Qi-lu, L., Qi, T., Yan-wei, X., Wei-na, L., Guang-Xi, Z., 2012. Development of a quercetin-loaded nanostructured lipid carrier formulation for topical delivery. *Int. J. Pharm.* 430, 292–298.
- Cirri, M., Bragagni, M., Mennini, N., Mura, P., 2012. Development of a new delivery system consisting in “drug-in cyclodextrin-in nanostructured lipid carriers” for ketoprofen topical delivery. *Eur. J. Pharm. Biopharm.* 80, 46–53.
- Desai, K.N., Gokani, R.H., 2012. Stability Study: Regulatory Requirement. *Int. J. Adv. Pharm. Anal.* 2, 62–67.
- Dhiman, N., Awasthi, R., Sharma, B., Kharkwal, H., Kulkarni, G.T., 2021. Lipid Nanoparticles as Carriers for Bioactive Delivery. *Front. Chem.* 9, 268. <https://doi.org/10.3389/fchem.2021.580118>

- Dini, A.A., 2015. Formulasi Sediaan Skin Cream Aloe Vera (*Aloe barbadensis*): Evaluasi Fisik dan Stabilitas Fisik Sediaan (PhD Thesis). Universitas Muhammadiyah Surakarta.
- Durand, C., Alhammad, A., Willett, K.C., 2012. Practical considerations for optimal transdermal drug delivery. *Am. J. Health. Syst. Pharm.* 69, 116–124.
- Fadhilah, R.N., 2016. Studi Penggunaan Obat Pada Pasien Osteoarthritis. Fak. Farm. Univ. Airlangga Dep. Farm. Klin. Surabaya 5–6.
- Galichet, L.Y., Moffat, C.A., Osselton, M.D., Widdop, B., 2005. Clarke's Analysis of Drugs and Poisons, (electronic version).
- Grabnar, P.A., Zvonar, A., Kristl, J., Jurkovic, P., Kerc, J., 2011. Preparation of nanoparticles by using a vibrating nozzle device.
- Handayani, R., Kautsar, A.P., 2018. Strategi Baru Sistem Penghantaran Obat Transdermal Menggunakan Peningkat Penetrasi Kimia.
- Hariyadi, D.M., Rosita, N., Rahayu, A., 2019. Design, optimization and characterization of glutathione loaded-alginate microspheres for topical antiaging. *J. Pharm. Pharmacogn. Res.* 7, 223–233.
- Jadav, R.D., Patel, B.J., Joshi, D.V., Patel, J.G., Raval, S.H., 2014. Toxicopathological studies of experimentally induced meloxicam toxicity in wistar rats (*Rattus norvegicus*). *Wayamba J Ani Sci* 6, 870–875.
- Jahanshahi, M., Babaei, Z., 2008. Protein nanoparticle: a unique system as drug delivery vehicles. *Afr. J. Biotechnol.* 7.
- Khan, B.A., Naveed, A., Tariq, M., Mughal, Q., 2010. Formulation and pharmaceutical evaluation of a W/O emulsion of *Hippophae rhamnoides* fruit extract. *J. Pharm. Res.* 3, 1342–1344.
- Khasanah, U., Rochman, M.F., 2022. Stabilitas Nanostructured Lipid Carrier Coenzyme Q10 Dengan Variasi Waktu Pengadukan. *J. Ilmu Farm. Dan Farm. Klin.* 18, 55–63.
- Li, B., Ge, Z.-Q., 2012. Nanostructured lipid carriers improve skin permeation and chemical stability of idebenone. *AAPS Pharmscitech* 13, 276–283.
- Listiyana, A., Mutiah, R., Suryadinata, A., Salsabilla, F.R., 2020. Pengembangan Sistem Nanostructured Lipid Carrier (NLC) daun *Chrysanthemum cinerariifolium* (Trev.) Vis dengan variasi konsentrasi lipid. *J. Islam. Med.* 4, 86–97.
- Martin, A., 1990. *Farmasi Fisik : Dasar-Dasar Kimia Fisik Dalam Ilmu Farmasetik*, Ed.3. ed. Universitas Indonesia (UI Press).
- Martindale, W., Sweetman, S.C. (Eds.), 2009. *Martindale: The complete drug reference*, 36. ed. ed. Pharmaceuticale Press, PhP, London ; Chicago.
- Mayangsari, F.D., Erawati, T., Soeratri, W., Rosita, N., 2021. Karakteristik dan Stabilitas Fisik NLC-Koenzim Q10 dalam Sleeping Mask dengan Minyak Nilam. *J. Farm. Dan Ilmu Kefarmasian Indones.* 8, 178–186.
- Megha Pokharana, R.V., Anju Goyal, Aseem Shrivastava, 2018. Stability Testing Guidelines Of Pharmaceutical Products. *J. Drug Deliv. Ther.* 2018 82169-175.
- Moffat, A.C., Osselton, M.D., Widdop, B., Watts, J., 2011. *Clarke's analysis of drugs and poisons*. Pharmaceutical press London.
- Mukhtar, 1990. *Farmasi Fisika : bagian struktur atom dan molekul zat padat dan mikromeritika*, ed. Gadjah Mada University Press.

- Mutiatikum, D., Raini, M., 2019. Profil Disolusi dan Penetapan Kadar Tablet Meloksikam Inovator dan Generik Bermerek dengan Kckt (Kromatografi Cair Kinerja Tinggi).
- Naseri, N., Valizadeh, H., Zakeri-Milani, P., 2015. Solid lipid nanoparticles and nanostructured lipid carriers: structure, preparation and application. *Adv. Pharm. Bull.* 5, 305.
- Natarajan, J., Karri, V., Anindita, D., 2017. Nanostructured lipid carrier (NLC): A promising drug delivery system. *Glob. J. Nanomedicine* 1, 001–006.
- Nugroho, B.H., 2017. Preparasi dan Karakterisasi Nanopartikel Isolat Andrografolida dengan Variasi Perbandingan PVA (Polyvinyl Alcohol).
- Nuraeni, W., Daruwati, I., Widyasari, E.M., Sriyani, M.E., 2013. Verifikasi kinerja alat particle size analyzer (PSA) Horiba LB-550 untuk penentuan distribusi ukuran nanopartikel.
- Otong, M., 2020. Sintesis Nanopartikel Perak Menggunakan Bioreduktor Ekstrak Biji Kluwak (*Pangium edule Reinw.*) Dan Uji Aktivitasnya Sebagai Antibakteri (other). Universitas Hasanuddin.
- Patil, U.K., Saraogi, R., 2014. Natural products as potential drug permeation enhancer in transdermal drug delivery system. *Arch. Dermatol. Res.* 306, 419–426.
- Praptiwi, P., Iskandarsyah, I., Kuncari, E.S., 2014. Evaluasi, uji stabilitas fisik dan sineresis sediaan gel yang mengandung minoksidil, apigenin dan perasan herba seledri (*Apium graveolens L.*). *Indones. Bull. Health Res.* 42, 20088.
- Prieto, C., Calvo, L., 2013. Performance of the biocompatible surfactant Tween 80, for the formation of microemulsions suitable for new pharmaceutical processing. *J. Appl. Chem.* 2013.
- Primadhamanti, A., Nofita, N., Muslim, D.M., 2017. Uji Stabilitas Asetosal Bentuk Sediaan Tablet Dan Tablet Salut Enterik. *J. Anal. Farm.* 2.
- Rahayu, A., 2020. Metode Validasi Flame Atomic Absorption Spectrometry (FAAS) Metode Destruksi Kering dan Destruksi Basah untuk Analisis Mineral Minuman Air Isotonik. *Farm. J. Sains Farm.* 1, 6–13.
- Rahayu, A., Rosyida, D.A.C., Nuraini, I., 2022. Formulasi Dan Optimasi Nanostructured Lipid Carriers (NLC) Ketokonazol Menggunakan Full Factorial Design: Formulation And Optimization Of Nanostructured Lipid Carriers (NLC) Ketoconazole Using Full Factorial Design. *Med. Sains J. Ilm. Kefarmasian* 7, 561–570.
- Rahayu, A., Sari, D.P., Ebtavanny, T.G., 2019. Design, Optimization and Characterization of Cefixime Microspheres. *Int J Pharma Res Heal Sci* 7, 3051–5.
- Rahmi, D., Yunilawati, R., Ratnawati, E., 2013. Peningkatan stabilitas emulsi krim nanopartikel untuk mempertahankan kelembaban kulit. *J. Kim. Dan Kemasan* 35, 30–36.
- Rathod, U.C., Patel, A.K., Shah, D.A., 2012. Statistical evaluation and optimization of influence of stirring speed and polymer concentration on hollow microspheres of diltiazem HCl. *Sch. Res Lib* 4, 972–978.
- Rohmah, M., Raharjo, S., Hidayat, C., Martien, R., 2019a. Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *J. Apl. Teknol. Pangan* 8.

- Rohmah, M., Raharjo, S., Hidayat, C., Martien, R., 2019b. Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *J. Apl. Teknol. Pangan* 8.
- Rowe, R.C., Sheskey, P.J., Owen, S.C., American Pharmacists Association (Eds.), 2006. *Handbook of pharmaceutical excipients*: edited by Raymond C. Rowe, Paul J. Sheskey, Siân C. Owen, 5th ed. ed. Pharmaceutical Press ; American Pharmacists Association, London ; Greyslake, IL : Washington, DC.
- Rowe, R.C., Sheskey, P.J., Quinn, M.E., 2009. *Handbook of pharmaceutical excipients*, 6th ed. ed. Pharmaceutical press, London.
- Sayuti, N.A., 2015. Formulasi dan uji stabilitas fisik sediaan gel ekstrak daun ketepeng cina (*Cassia alata* L.). *J. Kefarmasian Indones.* 74–82.
- Singh, D., Pradhan, M., Nag, M., Singh, M.R., 2015. Vesicular system: Versatile carrier for transdermal delivery of bioactives. *Artif. Cells Nanomedicine Biotechnol.* 43, 282–290.
- Singh, K., Arora, N., Garg, T., 2012. RFID: a trustable security tool in pharmaceutical industry. *Am J Pharm Tech Res* 2, 113–27.
- Singhal, G.B., Patel, R.P., Prajapati, B.G., Patel, N.A., 2011. Solid lipid nanoparticles and nano lipid carriers: As novel solid lipid based drug carrier. *Int Res J Pharm* 2, 20–52.
- Souto, E.B., Baldim, I., Oliveira, W.P., Rao, R., Yadav, N., Gama, F.M., Mahant, S., 2020. SLN and NLC for topical, dermal, and transdermal drug delivery. *Expert Opin. Drug Deliv.* 17, 357–377.
- Sriarumtias, F.F., Darijanto, S.T., Damayanti, S., 2017. Formulasi dan Uji Potensi Antioksidan Nanostructured Lipid Carrier (NLC) Retinil Palmitat. *Acta Pharm. Indones.* 42, 25–31.
- Sukandar, E.Y. et al, 2008. *ISO farmakoterapi. 2008 / Disusun oleh EY Sukandar et al, ed. ISFI Penerbitan.*
- Sumardjo, D., 2009. *Pengantar Kimia Buku Panduan Kuliah Mahasiswa Kedokteran.* EGC.
- Suprobo, G., Rahmi, D., 2015. Pengaruh kecepatan homegenisasi terhadap sifat fisika dan kimia krim nanopartikel dengan metode high speed homogenization (HSH). *J. Litbang Ind.* 5, 1–12.
- Tamjidi, F., Shahedi, M., Varshosaz, J., Nasirpour, A., 2013. Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innov. Food Sci. Emerg. Technol.* 19, 29–43.
- Tranggono, R.I., Latifah, F., 2007. *Buku pegangan ilmu pengetahuan kosmetik.* Jkt. PT Gramedia Pustaka Utama 3, 58–59.
- Weber, S., Zimmer, A., Pardeike, J., 2014. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) for pulmonary application: a review of the state of the art. *Eur. J. Pharm. Biopharm.* 86, 7–22.
- Winokan, H.G., Sopyan, I., 2019. Review: Karakteristik Disolusi Tablet Immediate Release Dengan Api Bcs Kelas Ii Sebagai Biowaiver Serta Pendekatan Untuk Meningkatkan Kelarutannya. *Farmaka* 17, 442–454. <https://doi.org/10.24198/jf.v17i2.22962>
- Yadav, V., Altaf, S., Mamatha, M.P.V., 2012. Transdermal drug delivery: a technical write up. *J. Pharm. Sci. Innov.* 1, 5–12.