

DAFTAR PUSTAKA

- Amstrong, Gary & Philip Kotler, (2012) *Dasar-Dasar Pemasaran*. Jilid I, Alih Bahasa Alexander Sindoro dan Benyamin Molan. Jakarta: Penerbit Prenhalindo
- Assauri, Sofjan. 2013. *Manajemen Pemasaran: Dasar, Konsep & Strategi*. Jakarta: Raja Grafindo Persada
- Christopher Lovelock & Lauren K Wright. 2007. *Manajemen Pemasaran Jasa*, Jakarta : PT. Indeks Kelompok Gramedia
- Christy, E., & Khasanah, I. (2016). Pengaruh Kualitas Pelayanan, Citra Merek, Kepercayaan Merek dan Persepsi Harga Terhadap Keputusan Pembelian Jasa Bengkel Las Sinar Baru di Jepara. *Jurnal Manajemen, Fakultas Ekonomika dan Bisnis Universitas Diponegoro, Universitas Diponegoro*
- Ghozali. Imam. 2016. *Desain Penelitian Kuantitatif dan Kualitatif Akuntansi, Bisnis dan Ilmu Sosial Lainnya*. Semarang: Universitas Diponegoro
- Grewal, Dhruv. and Levy, Michael. 2014. *Marketing*. 4th Edition. Mc.Graw-Hill
- Hadiyati, E. (2011) '*Citra Pelayanan, Kualitas Produk dan Inovasi Desain Berpengaruh Terhadap Keputusan Pembelian di Bengkel Las Biroe Pujon Malang*', *Jurnal Manajemen dan Kewirausahaan*, 13(1).

diakses pada tanggal

31 oktober 2019, pukul 17:45

- Karmila. (2019) *Pengaruh Kualitas Produk Dan Harga Terhadap Keputusan Pembelian Pada Bengkel Las Barokah Di Binuang*, 1-7.
- Kotler, Philip dan Armstrong, Gary. 2008. *Prinsip-prinsip Pemasaran*. Edisi Keduabelas Jilid I. Jakarta: Erlangga.
- Kotler, Philip dan Keller, Kevin Lane. 2009. *Manajemen Pemasaran*. Edisi Ketiga Belas Jilid II. Jakarta: Erlangga
- Kuntari, B. D., Kumadji, S., & Hidayat, K. (2016). *Pengaruh Kualitas Pelayanan Terhadap Kepuasan dan Loyalitas Pelanggan* (Survei Pada Pelanggan Bengkel PT Astra International Tbk - Daihatsu Malang). *Jurnal Administrasi Bisnis*, 36(1), 196-202.
- Oldy Ardhana (2010) '*Analisis Pengaruh Kualitas Pelayanan, Harga Dan Lokasi Terhadap Kepuasan Pelanggan*' (Studi Pada Bengkel Caesar Semarang), Fakultas Ekonomi, Universitas Diponegoro
- Panjaitan, R. (2019) '*Pengaruh Harga, Kualitas Pelayanan, dan Inovasi Desain Terhadap Loyalitas Pembelian Merk Minorfighters*', 5(2), pp. 186-195
- Pedoman Penulisan Skripsi, Edisi ke 12 Tahun 2018. Program Studi Manajemen - Fakultas Ekonomi
- Sugiyono. 2017. *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung : Alfabeta, CV
- Sumarni, Murti dan John Soeprihanto. 2010. *Pengantar Bisnis* (Dasar-dasar Ekonomi Perusahaan). Edisi ke 5. Yogyakarta: Liberty Yogyakarta

Susilo Effendy. (2019, agustus 19). Diakses oktober 31, 2019, dari

Tjiptono, Fandy. 2015. Strategi Pemasaran. Yogyakarta: Penerbit:
Andi

Triana, A. (2019) '*Dampak Persepsi Harga, Desain Produk, Citra Merek Dan Kualitas Produk Sebagai Penentu Keputusan Pembelian*', 53(9), pp. 1689–1699



UNIVERSITAS PGRI ADI BUANA SURABAYA
FAKULTAS EKONOMI

Kampus : Jl. Dukuh Menanggal XII/4 , Telp- Fax. 031-8281183 Surabaya 60234
Website : <http://www.fe.unipasby.ac.id>

CATATAN UJIAN PROPOSAL SKRIPSI

1.	Nama	: Hidayatul Istiqomah
2.	NIM	: 161500071
3.	Program Studi	: Manajemen / Akuntansi *)
4.	Judul Proposal	: Pengaruh Harga, Inovasi Desain dan Kualitas Pelayanan Terhadap Keputusan Pembelian Jasa di Bengkel Las Hidayah Sidoarjo

Bab/ Halaman	Perbaikan/Koreksi
I	Latar belakang masalah ditambah <u>masalah</u> (jumlah korban ts 2019).
III	Populasi & sampel diganti <u>bukan</u> Slovins - tsq' ditambah <u>keputusan</u> dan <u>pe</u> <u>belanja</u> .
>	Data pustaka Daftar pustaka ditambah <u>putusan</u> per <u>Indikator</u> .

Surabaya, 30 Desember 2019
Penguji,

Al. M. M. M.




UNIVERSITAS PGRI ADI BUANA SURABAYA
FAKULTAS EKONOMI


Kampus : Jl. Dukuh Menanggal XII/4 , Telp- Fax. 031-8281183 Surabaya 60234
Website : <http://www.fe.unipasby.ac.id>

CATATAN UJIAN PROPOSAL SKRIPSI

1.	Nama	:	Hidayatul Istiqomah
2.	NIM	:	161500071
3.	Program Studi	:	Manajemen / Akuntansi *)
4.	Judul Proposal	:	Pengaruh Harga, Inovasi Desain dan Kualitas Pelayanan Terhadap Keputusan Pembelian Jasa di Bengkel Las Hidayah Sidoarjo

Bab/ Halaman	Perbaikan/Koreksi
	

Surabaya, 30 Desember 2019
Penguji





UNIVERSITAS PGRI ADI BUANA SURABAYA
FAKULTAS EKONOMI

Kampus : Jl. Dukuh Menanggal XII/4 , Telp- Fax. 031-8281183 Surabaya 60234
Website : <http://www.fe.unipasby.ac.id>

BERITA ACARA UJIAN PROPOSAL SKRIPSI

Pada hari ini Senin tanggal 30 bulan Desember tahun 2019 bertempat di Fakultas Ekonomi Universitas PGRI Adi Buana Surabaya telah dilaksanakan Ujian Proposal Skripsi Semester Ganjil / Genap *) Tahun Akademik 2019/2020

Nama Mahasiswa	: Hidayatul Istiqomah
NIM	: 161500071
Program Studi	: Manajemen
Judul Proposal	: Pengaruh Harga, Inovasi Desain dan Kualitas Pelayanan Terhadap Keputusan Pembelian Jasa di Bengkel Las Hidayah Sidoarjo

Dihadiri oleh :

No	NIM	Nama Mahasiswa	Tanda Tangan
1	161500250	Septian Anggi Diyanti	
2	161500168	Suci Setyo Farahliba	
3	161500131	Nilam Anelini	
4	161500202	Dwi Putri Lestari	
5	161500118	Riza Lailatul mufidah	
6	161500142	Devita zulfianah	
7	161500076	Dwi Ayu candraningtyas	
8	171600061	Tunita Lindsari	
9	161500217	Sri Utari Yuli Ana	
10	161500152	Reza Ardiansyah	
11	161500185	Dilla Safitri	
12	161500175	Nelly Ramadhani	
13	161500110	Nita Garselda kilit	
14	161500015	Citra Dwi Maulidya	
15	161500171	Defrosa Solihans Ritan	

Surabaya, 30 Desember 2019

Penguji : Murni R (Murni)

Pembimbing : U. Maimun (Maimun)



UNIVERSITAS PGRI ADI BUANA SURABAYA
FAKULTAS EKONOMI

Kampus : Jl. Dukuh Menanggal XII/4 , Telp- Fax. 031-8281183 Surabaya 60234

Website : <http://www.fe.unipasby.ac.id>

KARTU BIMBINGAN SKRIPSI

Nama	: HIDAYATUL ISTIQOMAH
Prodi / NIM	: Manajemen D 2016 / 161500071
Judul Skripsi	: Pengaruh Persepsi Harga, Inovasi Desain, dan Kualitas Pelayanan terhadap Keputusan pembelian Jasa di Bengkel Las Hidayah Sidoarjo
Dosen Pembimbing	: Dra. Christina Menut Srihandayani, S.E., MM
Periode Kepembimbingan	: 30 September 2019 s/d 30 Maret 2020

URAIAN KEGIATAN KEPEMBIMBINGAN :

NO	TANGGAL	MATERI BIMBINGAN	KET.	TANDA TANGAN
1	1-10-2019	Identifikasi masalah & judul revisi		H
2	9-10-2019	Penulisan abstrak & isi awal yg relevan		H
3	15-10-2019	Penulisan isi bagian & bentuk paragraf		H
4	22-10-2019	Penulisan & bentuk akhir		H
5	29-10-2019	Materi abstrak & bab I revisi		H
6	31-10-2019	Bab I revisi & bentuk bab II		H
7	12-11-2019	Bab I - II revisi		H
8	19-11-2019	Bab I - II, cek lagi bentuk bab III		H
9	25-11-2019	Bab I abstrak bab II - III revisi		H
10	3-12-2019	Bab II - III revisi & bentuk Questionnaire		H
11	12-12-2019	Bab II abstrak, bab III cek lagi & Questionnaire yg sudah & bentuk daftar pustaka		H
12	9-12-2019	abstrak untuk ujian proposal		H
13	30-12-2019	Ujian proposal		H
14	27-1-2020	Bab III - IV revisi		H
15		Bab IV - V revisi		H

Bimbingan selesai pada tanggal :

Dosen Pembimbing,



Mahasiswa,

Your trial period for SPSS for Windows will expire in 14 days.

Frequencies

Notes

Output Created	14-MAY-2020 12:43:42	
Comments		
Input	Data	C:\Program Files\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=Q1 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q9 Q10 Q11 Q12 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.22
	Total Values Allowed	224841

[DataSet1] C:\Program Files\SPSSEval\hidaadibuana.sav

Statistics

	Harga 1	Harga 2	Harga 3	Harga 4	Harga 5	Harga 6	Harga 7	Harga 8	Harga 9	Harga 10	Harga 11	Harga 12
N Valid	50	50	50	50	50	50	50	50	50	50	50	50
Missing	0	0	0	0	0	0	0	0	0	0	0	0
Mean	4.1200	3.9400	3.9200	3.7800	4.0200	3.9600	3.9200	4.0200	3.8800	3.8400	3.8600	3.8200

Frequency Table

Harga 1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	5	10.0	10.0	10.0
4.00	34	68.0	68.0	78.0
5.00	11	22.0	22.0	100.0
Total	50	100.0	100.0	

Harga 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	14	28.0	28.0	28.0
	4.00	25	50.0	50.0	78.0
	5.00	11	22.0	22.0	100.0
	Total	50	100.0	100.0	

Harga 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	10	20.0	20.0	20.0
	4.00	34	68.0	68.0	88.0
	5.00	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

Harga 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	4.0	4.0	4.0
	3.00	11	22.0	22.0	26.0
	4.00	33	66.0	66.0	92.0
	5.00	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

Harga 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	7	14.0	14.0	14.0
	4.00	35	70.0	70.0	84.0
	5.00	8	16.0	16.0	100.0
	Total	50	100.0	100.0	

Harga 6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	2	4.0	4.0	4.0
	4.00	48	96.0	96.0	100.0
	Total	50	100.0	100.0	

Harga 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	13	26.0	26.0	26.0
	4.00	28	56.0	56.0	82.0
	5.00	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

Harga 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	9	18.0	18.0	18.0
	4.00	31	62.0	62.0	80.0
	5.00	10	20.0	20.0	100.0
	Total	50	100.0	100.0	

Harga 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	10	20.0	20.0	22.0
	4.00	33	66.0	66.0	88.0
	5.00	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

Harga 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	11	22.0	22.0	22.0
	4.00	36	72.0	72.0	94.0
	5.00	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

Harga 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	9	18.0	18.0	18.0
	4.00	39	78.0	78.0	96.0
	5.00	2	4.0	4.0	100.0
	Total	50	100.0	100.0	

Harga 12

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	11	22.0	22.0	22.0
4.00	37	74.0	74.0	96.0
5.00	2	4.0	4.0	100.0
Total	50	100.0	100.0	

Frequencies

Notes

Output Created		14-MAY-2020 12:44:09
Comments		
Input	Data	C:\Program Files\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q13 Q14 Q15 Q16 Q17 Q18 Q19 Q20 Q21 Q22 Q23 Q24 Q25 Q26 Q27 Q28 Q29 Q30 Q31 /STATISTICS=MEAN /ORDER= ANALYSIS .
Resources	Elapsed Time	0:00:00.25
	Total Values Allowed	224841

[DataSet1] C:\Program Files\SPSSEval\hidaadibuana.sav

Statistics

	Inovasi Desain 1	Inovasi Desain 2	Inovasi Desain 3	Inovasi Desain 4	Inovasi Desain 5	Inovasi Desain 6	Inovasi Desain 7	Inovasi Desain 8	Inovasi Desain 9	Inovasi Desain 10	Inovasi Desain 11	Inovasi Desain 12	Inovasi Desain 13	Inovasi Desain 14	Inovasi Desain 15	Inovasi Desain 16	Inovasi Desain 17	Inovasi Desain 18	Inovasi Desain 19
N Valid	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Missing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mean	3.9800	3.9800	3.8400	3.5400	3.6600	3.6600	4.0800	3.9200	3.6400	3.6200	3.5400	4.1600	4.0600	4.0000	3.9400	4.0400	4.0800	3.9600	4.0600

Frequency Table

Inovasi Desain 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	10	20.0	20.0	22.0
	4.00	28	56.0	56.0	78.0
	5.00	11	22.0	22.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	4.0	4.0	4.0
	3.00	10	20.0	20.0	24.0
	4.00	25	50.0	50.0	74.0
	5.00	13	26.0	26.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	12	24.0	24.0	24.0
	4.00	34	68.0	68.0	92.0
	5.00	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	12.0	12.0	12.0
	3.00	15	30.0	30.0	42.0
	4.00	25	50.0	50.0	92.0
	5.00	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	8.0	8.0	8.0
	3.00	12	24.0	24.0	32.0

	4.00	31	62.0	62.0	94.0
	5.00	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	6.0	6.0	6.0
	3.00	16	32.0	32.0	38.0
	4.00	26	52.0	52.0	90.0
	5.00	5	10.0	10.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	14	28.0	28.0	28.0
	4.00	18	36.0	36.0	64.0
	5.00	18	36.0	36.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	13	26.0	26.0	26.0
	4.00	28	56.0	56.0	82.0
	5.00	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	16	32.0	32.0	34.0
	4.00	33	66.0	66.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	7	14.0	14.0	14.0

	3.00	7	14.0	14.0	28.0
	4.00	34	68.0	68.0	96.0
	5.00	2	4.0	4.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	8	16.0	16.0	16.0
	3.00	9	18.0	18.0	34.0
	4.00	31	62.0	62.0	96.0
	5.00	2	4.0	4.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	10	20.0	20.0	20.0
	4.00	22	44.0	44.0	64.0
	5.00	18	36.0	36.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	8	16.0	16.0	18.0
	4.00	28	56.0	56.0	74.0
	5.00	13	26.0	26.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	12	24.0	24.0	26.0
	4.00	23	46.0	46.0	72.0
	5.00	14	28.0	28.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	8.0	8.0	8.0
	3.00	6	12.0	12.0	20.0
	4.00	29	58.0	58.0	78.0
	5.00	11	22.0	22.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	13	26.0	26.0	28.0
	4.00	19	38.0	38.0	66.0
	5.00	17	34.0	34.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	10	20.0	20.0	22.0
	4.00	23	46.0	46.0	68.0
	5.00	16	32.0	32.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 18

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	8.0	8.0	8.0
	3.00	5	10.0	10.0	18.0
	4.00	30	60.0	60.0	78.0
	5.00	11	22.0	22.0	100.0
	Total	50	100.0	100.0	

Inovasi Desain 19

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	14	28.0	28.0	28.0
	4.00	19	38.0	38.0	66.0
	5.00	17	34.0	34.0	100.0
	Total	50	100.0	100.0	

Frequencies

Notes

Output Created	14-MAY-2020 12:44:33	
Comments		
Input	Data	C:\Program Files\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=Q32 Q33 Q34 Q35 Q36 Q37 Q38 Q39 Q40 Q41 Q42 Q43 Q44 Q45 Q46 Q47 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.25
	Total Values Allowed	224841

[DataSet1] C:\Program Files\SPSSEval\hidaadibuana.sav

Statistics

		Kualitas Pelayanan 1	Kualitas Pelayanan 2	Kualitas Pelayanan 3	Kualitas Pelayanan 4	Kualitas Pelayanan 5	Kualitas Pelayanan 6	Kualitas Pelayanan 7	Kualitas Pelayanan 8	Kualitas Pelayanan 9	Kualitas Pelayanan 10	Kualitas Pelayanan 11	Kualitas Pelayanan 12	Kualitas Pelayanan 13	Kualitas Pelayanan 14	Kualitas Pelayanan 15	Kualitas Pelayanan 16
N	Valid	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
	Missing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mean		4.3400	4.5000	4.4200	4.3200	3.6400	3.4000	4.2600	4.2400	3.9200	4.0200	4.0800	4.1800	3.9600	4.1000	4.4200	4.4200

Frequency Table

Kualitas Pelayanan 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	4	8.0	8.0	8.0
	4.00	25	50.0	50.0	58.0
	5.00	21	42.0	42.0	100.0
Total		50	100.0	100.0	

Kualitas Pelayanan 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	3	6.0	6.0	6.0
	4.00	19	38.0	38.0	44.0
	5.00	28	56.0	56.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	3	6.0	6.0	6.0
	4.00	23	46.0	46.0	52.0
	5.00	24	48.0	48.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	3	6.0	6.0	6.0
	4.00	28	56.0	56.0	62.0
	5.00	19	38.0	38.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	5	10.0	10.0	10.0
	3.00	15	30.0	30.0	40.0
	4.00	18	36.0	36.0	76.0
	5.00	12	24.0	24.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	8	16.0	16.0	16.0
	3.00	12	24.0	24.0	40.0
	4.00	24	48.0	48.0	88.0
	5.00	6	12.0	12.0	100.0

Total	50	100.0	100.0	
-------	----	-------	-------	--

Kualitas Pelayanan 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	8	16.0	16.0	16.0
	4.00	21	42.0	42.0	58.0
	5.00	21	42.0	42.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	2	4.0	4.0	4.0
	4.00	34	68.0	68.0	72.0
	5.00	14	28.0	28.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	18	36.0	36.0	36.0
	4.00	18	36.0	36.0	72.0
	5.00	14	28.0	28.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	5	10.0	10.0	10.0
	4.00	39	78.0	78.0	88.0
	5.00	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	6	12.0	12.0	12.0
	4.00	34	68.0	68.0	80.0
	5.00	10	20.0	20.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	3	6.0	6.0	6.0
	4.00	35	70.0	70.0	76.0
	5.00	12	24.0	24.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	11	22.0	22.0	22.0
	4.00	30	60.0	60.0	82.0
	5.00	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	10	20.0	20.0	20.0
	4.00	25	50.0	50.0	70.0
	5.00	15	30.0	30.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	4	8.0	8.0	8.0
	4.00	21	42.0	42.0	50.0
	5.00	25	50.0	50.0	100.0
	Total	50	100.0	100.0	

Kualitas Pelayanan 16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	6	12.0	12.0	12.0
	4.00	17	34.0	34.0	46.0
	5.00	27	54.0	54.0	100.0
	Total	50	100.0	100.0	

Frequencies

Notes

Output Created	14-MAY-2020 12:44:55	
Comments		
Input	Data	C:\Program Files\SPSS\eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	<pre> FREQUENCIES VARIABLES=Q48 Q49 Q50 Q51 Q52 Q53 Q54 Q55 Q56 Q57 Q58 /STATISTICS=MEAN /ORDER= ANALYSIS . </pre>	
Resources	Elapsed Time	0:00:00.19
	Total Values Allowed	224841

[DataSet1] C:\Program Files\SPSS\eval\hidaadibuana.sav

Statistics

		Keputusan Pembelian 1	Keputusan Pembelian 2	Keputusan Pembelian 3	Keputusan Pembelian 4	Keputusan Pembelian 5	Keputusan Pembelian 6	Keputusan Pembelian 7	Keputusan Pembelian 8	Keputusan Pembelian 9	Keputusan Pembelian 10	Keputusan Pembelian 11
N	Valid	50	50	50	50	50	50	50	50	50	50	50
	Missing	0	0	0	0	0	0	0	0	0	0	0
Mean		4.3000	4.3600	4.2000	4.2400	4.0800	4.7000	4.6200	4.2000	4.4000	3.9000	3.9000

Frequency Table

Keputusan Pembelian 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	1	2.0	2.0	2.0
	4.00	33	66.0	66.0	68.0
	5.00	16	32.0	32.0	100.0
	Total	50	100.0	100.0	

Keputusan Pembelian 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	2	4.0	4.0	4.0
4.00	28	56.0	56.0	60.0
5.00	20	40.0	40.0	100.0
Total	50	100.0	100.0	

Keputusan Pembelian 3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2.00	1	2.0	2.0	2.0
3.00	7	14.0	14.0	16.0
4.00	23	46.0	46.0	62.0
5.00	19	38.0	38.0	100.0
Total	50	100.0	100.0	

Keputusan Pembelian 4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2.00	2	4.0	4.0	4.0
3.00	1	2.0	2.0	6.0
4.00	30	60.0	60.0	66.0
5.00	17	34.0	34.0	100.0
Total	50	100.0	100.0	

Keputusan Pembelian 5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2.00	1	2.0	2.0	2.0
3.00	9	18.0	18.0	20.0
4.00	25	50.0	50.0	70.0
5.00	15	30.0	30.0	100.0
Total	50	100.0	100.0	

Keputusan Pembelian 6

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4.00	15	30.0	30.0	30.0
5.00	35	70.0	70.0	100.0
Total	50	100.0	100.0	

Keputusan Pembelian 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4.00	19	38.0	38.0	38.0
	5.00	31	62.0	62.0	100.0
	Total	50	100.0	100.0	

Keputusan Pembelian 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	3.00	6	12.0	12.0	14.0
	4.00	25	50.0	50.0	64.0
	5.00	18	36.0	36.0	100.0
	Total	50	100.0	100.0	

Keputusan Pembelian 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	2.0	2.0	2.0
	4.00	27	54.0	54.0	56.0
	5.00	22	44.0	44.0	100.0
	Total	50	100.0	100.0	

Keputusan Pembelian 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	4.0	4.0	4.0
	3.00	7	14.0	14.0	18.0
	4.00	35	70.0	70.0	88.0
	5.00	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

Keputusan Pembelian 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	4.0	4.0	4.0
	3.00	7	14.0	14.0	18.0
	4.00	35	70.0	70.0	88.0
	5.00	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

Correlations

Notes

Output Created	14-MAY-2020 12:49:16	
Comments		
Input	Data	C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=Q1 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q9 Q10 Q11 Q12 X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.25

[DataSet1] C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav

Correlations

	Harga 1	Harga 2	Harga 3	Harga 4	Harga 5	Harga 6	Harga 7	Harga 8	Harga 9	Harga 10	Harga 11	Harga 12	Harga
Harga 1													
Pearson Correlation	1	.737(**)	.031	.469(**)	.455(**)	.229	.301(*)	.052	.217	.356(*)	.553(**)	.309(*)	.746(**)
Sig. (2-tailed)		.000	.831	.001	.001	.110	.034	.722	.131	.011	.000	.029	.000
N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 2													
Pearson Correlation	.737(**)	1	.039	.502(**)	.314(*)	.127	.291(*)	.095	.258	.423(**)	.417(**)	.206	.729(**)
Sig. (2-tailed)	.000		.791	.000	.026	.378	.040	.512	.071	.002	.003	.151	.000
N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 3													
Pearson Correlation	.031	.039	1	.118	.266	.153	-.017	.179	.490(**)	-.187	-.124	.171	.339(*)
Sig. (2-tailed)	.831	.791		.414	.062	.288	.905	.215	.000	.194	.389	.236	.016
N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 4													
Pearson Correlation	.469(**)	.502(**)	.118	1	.126	-.070	.195	-.039	-.016	.324(*)	.241	-.260	.460(**)
Sig. (2-tailed)	.001	.000	.414		.382	.629	.175	.786	.912	.022	.092	.068	.001
N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 5													
Pearson Correlation	.455(**)	.314(*)	.266	.126	1	.194	.226	.355(*)	.242	.301(*)	.338(*)	.473(**)	.665(**)
Sig. (2-tailed)	.001	.026	.062	.382		.177	.114	.012	.090	.033	.016	.001	.000
N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 6													
Pearson Correlation	.229	.127	.153	-.070	.194	1	.130	.172	.289(*)	.340(*)	.164	.351(*)	.382(**)
Sig. (2-tailed)	.110	.378	.288	.629	.177		.367	.232	.042	.016	.255	.012	.006

	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 7	Pearson Correlation	.301(*)	.291(*)	-.017	.195	.226	.130	1	.448(**)	.025	.142	.233	-.046	.495(**)
	Sig. (2-tailed)	.034	.040	.905	.175	.114	.367		.001	.861	.325	.103	.752	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 8	Pearson Correlation	.052	.095	.179	-.039	.355(*)	.172	.448(**)	1	.320(*)	.203	.083	.352(*)	.516(**)
	Sig. (2-tailed)	.722	.512	.215	.786	.012	.232	.001		.024	.157	.568	.012	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 9	Pearson Correlation	.217	.258	.490(**)	-.016	.242	.289(*)	.025	.320(*)	1	.003	.083	.400(**)	.518(**)
	Sig. (2-tailed)	.131	.071	.000	.912	.090	.042	.861	.024		.986	.564	.004	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 10	Pearson Correlation	.356(*)	.423(**)	-.187	.324(*)	.301(*)	.340(*)	.142	.203	.003	1	.167	.047	.470(**)
	Sig. (2-tailed)	.011	.002	.194	.022	.033	.016	.325	.157	.986		.248	.748	.001
	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 11	Pearson Correlation	.553(**)	.417(**)	-.124	.241	.338(*)	.164	.233	.083	.083	.167	1	.350(*)	.528(**)
	Sig. (2-tailed)	.000	.003	.389	.092	.016	.255	.103	.568	.564	.248		.013	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga 12	Pearson Correlation	.309(*)	.206	.171	-.260	.473(**)	.351(*)	-.046	.352(*)	.400(**)	.047	.350(*)	1	.474(**)
	Sig. (2-tailed)	.029	.151	.236	.068	.001	.012	.752	.012	.004	.748	.013		.001
	N	50	50	50	50	50	50	50	50	50	50	50	50	50
Harga	Pearson Correlation	.746(**)	.729(**)	.339(*)	.460(**)	.665(**)	.382(**)	.495(**)	.516(**)	.518(**)	.470(**)	.528(**)	.474(**)	1
	Sig. (2-tailed)	.000	.000	.016	.001	.000	.006	.000	.000	.000	.001	.000	.001	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50

** Correlation is significant at the 0.01 level (2-tailed).

* Correlation is significant at the 0.05 level (2-tailed).

Correlations

Notes

Output Created	14-MAY-2020 12:49:43	
Comments		
Input	Data	C:\Program Files\SPSS\SPSS Eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.

Inovasi Desain 12	Pearson Correlation	.355(*)	.214	.518(**)	.397(**)	.105	.249	.356(**)	.276	.467(**)	.285(*)	.227	1	.719(**)	.671(**)	.320(*)	.820(**)	.758(**)	.285(*)	.820(**)	.792(**)
	Sig. (2-tailed)	.012	.135	.000	.004	.469	.081	.011	.052	.001	.045	.113	.000	.000	.023	.000	.000	.045	.000	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 13	Pearson Correlation	.243	.146	.496(**)	.472(**)	.281(*)	.501(**)	.241	.053	.714(**)	.373(**)	.154	.719(**)	1	.550(**)	.006	.685(**)	.581(**)	-.031	.680(**)	.690(**)
	Sig. (2-tailed)	.089	.310	.000	.001	.048	.000	.092	.712	.000	.008	.284	.000	.000	.965	.000	.000	.829	.000	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 14	Pearson Correlation	.292(*)	.394(**)	.476(**)	.289(*)	.291(*)	.245	.195	.118	.497(**)	.167	.417(**)	.671(**)	.550(**)	1	.096	.784(**)	.905(**)	.065	.789(**)	.738(**)
	Sig. (2-tailed)	.039	.005	.000	.042	.040	.086	.176	.416	.000	.246	.003	.000	.000	.509	.000	.000	.656	.000	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 15	Pearson Correlation	.382(**)	.249	.069	-.012	.243	.033	-.148	.178	.044	.187	.111	.320(*)	.006	.096	1	.183	.104	.985(**)	.163	.389(**)
	Sig. (2-tailed)	.006	.081	.633	.936	.090	.821	.306	.215	.763	.192	.443	.023	.965	.509	.202	.473	.000	.258	.005	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 16	Pearson Correlation	.276	.155	.551(**)	.450(**)	.057	.319(*)	.361(**)	.227	.547(**)	.118	.118	.820(**)	.685(**)	.784(**)	.183	1	.751(**)	.124	.986(**)	.760(**)
	Sig. (2-tailed)	.052	.281	.000	.001	.692	.024	.010	.113	.000	.413	.414	.000	.000	.000	.202	.000	.391	.000	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 17	Pearson Correlation	.260	.332(*)	.461(**)	.317(*)	.269	.259	.250	.052	.471(**)	.152	.285(*)	.758(**)	.581(**)	.905(**)	.104	.751(**)	1	.070	.753(**)	.720(**)
	Sig. (2-tailed)	.068	.018	.001	.025	.059	.069	.079	.720	.001	.292	.045	.000	.000	.000	.473	.000	.628	.000	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 18	Pearson Correlation	.353(*)	.221	.031	-.060	.223	.011	-.184	.184	.013	.138	.065	.285(*)	-.031	.065	.985(**)	.124	.070	1	.131	.338(*)
	Sig. (2-tailed)	.012	.122	.829	.681	.120	.940	.202	.201	.926	.341	.656	.045	.829	.656	.000	.391	.628	.000	.363	.016
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain 19	Pearson Correlation	.254	.131	.539(**)	.423(**)	.037	.311(*)	.344(*)	.241	.543(**)	.071	.075	.820(**)	.680(**)	.789(**)	.163	.986(**)	.753(**)	.131	1	.740(**)
	Sig. (2-tailed)	.075	.363	.000	.002	.801	.028	.014	.091	.000	.626	.603	.000	.000	.000	.258	.000	.000	.363	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Inovasi Desain	Pearson Correlation	.664(**)	.581(**)	.715(**)	.672(**)	.522(**)	.499(**)	.347(*)	.305(*)	.604(**)	.582(**)	.546(**)	.792(**)	.690(**)	.738(**)	.389(**)	.760(**)	.720(**)	.338(*)	.740(**)	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.014	.031	.000	.000	.000	.000	.000	.000	.005	.000	.000	.016	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50

** Correlation is significant at the 0.01 level (2-tailed).

* Correlation is significant at the 0.05 level (2-tailed).

Correlations

Notes

Output Created	14-MAY-2020 12:50:15	
Comments		
Input	Data	C:\Program Files\SPSS\SPSS Eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.

Kualitas Pelayanan 12	Pearson Correlation	.121	.413(**)	.142	.607(**)	.076	.335(*)	.306(*)	.441(**)	-.159	.068	.088	1	.267	.061	.439(**)	.568(**)	.613(**)
	Sig. (2-tailed)	.403	.003	.324	.000	.602	.017	.031	.001	.269	.641	.542		.061	.675	.001	.000	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Kualitas Pelayanan 13	Pearson Correlation	.086	.104	-.166	.362(**)	.118	.100	.200	.215	.113	.273	.349(*)	.267	1	.100	.291(*)	.357(*)	.486(**)
	Sig. (2-tailed)	.553	.472	.249	.010	.413	.488	.164	.133	.434	.055	.013	.061		.491	.040	.011	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Kualitas Pelayanan 14	Pearson Correlation	-.124	.305(*)	.185	-.030	.544(**)	.595(**)	-.212	.045	.481(**)	.177	.031	.061	.100	1	-.229	-.168	.487(**)
	Sig. (2-tailed)	.389	.031	.199	.839	.000	.000	.140	.758	.000	.219	.833	.675	.491		.109	.242	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Kualitas Pelayanan 15	Pearson Correlation	.196	.181	-.095	.286(*)	-.095	-.194	.552(**)	.243	-.131	-.095	.243	.439(**)	.291(*)	-.229	1	.597(**)	.363(**)
	Sig. (2-tailed)	.173	.208	.512	.044	.513	.177	.000	.089	.363	.510	.089	.001	.040	.109		.000	.010
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Kualitas Pelayanan 16	Pearson Correlation	.318(*)	.213	.104	.756(**)	-.287(*)	.110	.504(**)	.447(**)	-.120	.220	.376(**)	.568(**)	.357(*)	-.168	.597(**)	1	.585(**)
	Sig. (2-tailed)	.024	.138	.472	.000	.043	.446	.000	.001	.407	.125	.007	.000	.011	.242	.000		.000
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Kualitas Pelayanan	Pearson Correlation	.293(*)	.498(**)	.302(*)	.632(**)	.333(*)	.601(**)	.337(*)	.465(**)	.388(**)	.401(**)	.474(**)	.613(**)	.486(**)	.487(**)	.363(**)	.585(**)	1
	Sig. (2-tailed)	.039	.000	.033	.000	.018	.000	.017	.001	.005	.004	.001	.000	.000	.000	.010	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50

* Correlation is significant at the 0.05 level (2-tailed).

** Correlation is significant at the 0.01 level (2-tailed).

Correlations

Notes

Output Created	14-MAY-2020 12:50:48	
Comments		
Input	Data	C:\Program Files\SPSS\SPSS Eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=Q48 Q49 Q50 Q51 Q52 Q53 Q54 Q55 Q56 Q57 Q58 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.23

[DataSet1] C:\Program Files\SPSS\SPSS Eval\hidaadibuana.sav

Correlations

		Keputusan Pembelian 1	Keputusan Pembelian 2	Keputusan Pembelian 3	Keputusan Pembelian 4	Keputusan Pembelian 5	Keputusan Pembelian 6	Keputusan Pembelian 7	Keputusan Pembelian 8	Keputusan Pembelian 9	Keputusan Pembelian 10	Keputusan Pembelian 11	Keputusan Pembelian
Keputusan Pembelian 1	Pearson Correlation	1	.689(**)	.428(**)	.141	.312(*)	.306(*)	.223	.000	.200	.094	.094	.446(**)
	Sig. (2-tailed)		.000	.002	.328	.028	.031	.120	1.000	.164	.517	.517	.001
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 2	Pearson Correlation	.689(**)	1	.691(**)	.247	.365(**)	.345(*)	.358(*)	.119	.227	.213	.213	.612(**)
	Sig. (2-tailed)	.000		.000	.084	.009	.014	.011	.409	.112	.137	.137	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 3	Pearson Correlation	.428(**)	.691(**)	1	.220	.582(**)	.292(*)	.374(**)	.222	.178	.167	.167	.637(**)
	Sig. (2-tailed)	.002	.000		.125	.000	.040	.007	.121	.216	.247	.247	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 4	Pearson Correlation	.141	.247	.220	1	.436(**)	.039	.095	.432(**)	.059	.239	.239	.531(**)
	Sig. (2-tailed)	.328	.084	.125		.002	.791	.514	.002	.685	.095	.095	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 5	Pearson Correlation	.312(*)	.365(**)	.582(**)	.436(**)	1	.305(*)	.250	.343(*)	.108	.353(*)	.353(*)	.686(**)
	Sig. (2-tailed)	.028	.009	.000	.002		.031	.080	.015	.457	.012	.012	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 6	Pearson Correlation	.306(*)	.345(*)	.292(*)	.039	.305(*)	1	.477(**)	.242	.582(**)	.239	.239	.554(**)
	Sig. (2-tailed)	.031	.014	.040	.791	.031		.000	.090	.000	.095	.095	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 7	Pearson Correlation	.223	.358(*)	.374(**)	.095	.250	.477(**)	1	.217	.385(**)	.006	.006	.463(**)
	Sig. (2-tailed)	.120	.011	.007	.514	.080	.000		.130	.006	.965	.965	.001
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 8	Pearson Correlation	.000	.119	.222	.432(**)	.343(*)	.242	.217	1	.370(**)	.433(**)	.433(**)	.710(**)
	Sig. (2-tailed)	1.000	.409	.121	.002	.015	.090	.130		.008	.002	.002	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 9	Pearson Correlation	.200	.227	.178	.059	.108	.582(**)	.385(**)	.370(**)	1	.208	.208	.515(**)
	Sig. (2-tailed)	.164	.112	.216	.685	.457	.000	.006	.008		.147	.147	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 10	Pearson Correlation	.094	.213	.167	.239	.353(*)	.239	.006	.433(**)	.208	1	1.000(**)	.631(**)
	Sig. (2-tailed)	.517	.137	.247	.095	.012	.095	.965	.002	.147		.000	.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian 11	Pearson Correlation	.094	.213	.167	.239	.353(*)	.239	.006	.433(**)	.208	1.000(**)	1	.631(**)
	Sig. (2-tailed)	.517	.137	.247	.095	.012	.095	.965	.002	.147	.000		.000
	N	50	50	50	50	50	50	50	50	50	50	50	50
Keputusan Pembelian	Pearson Correlation	.446(**)	.612(**)	.637(**)	.531(**)	.686(**)	.554(**)	.463(**)	.710(**)	.515(**)	.631(**)	.631(**)	1
	Sig. (2-tailed)	.001	.000	.000	.000	.000	.000	.001	.000	.000	.000	.000	
	N	50	50	50	50	50	50	50	50	50	50	50	50

** Correlation is significant at the 0.01 level (2-tailed).

* Correlation is significant at the 0.05 level (2-tailed).

Regression

Notes

Output Created		14-MAY-2020 12:53:07
Comments		
Input	Data	C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3 /SCATTERPLOT=(*ZPRED *SRESID) /RESIDUALS DURBIN HIST(ZRESID) NORM(ZRESID) /SAVE RESID .
Resources	Elapsed Time	0:00:01.36
	Memory Required	3108 bytes
	Additional Memory Required for Residual Plots	896 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

[DataSet1] C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav

Descriptive Statistics

	Mean	Std. Deviation	N
Keputusan Pembelian	4.6455	.41609	50
Harga	3.9233	.29587	50
Inovasi Desain	3.8821	.43901	50
Kualitas Pelayanan	4.1388	.31448	50

Correlations

		Keputusan Pembelian	Harga	Inovasi Desain	Kualitas Pelayanan
Pearson Correlation	Keputusan Pembelian	1.000	.256	-.275	.086
	Harga	.256	1.000	.214	.194
	Inovasi Desain	-.275	.214	1.000	.169
	Kualitas Pelayanan	.086	.194	.169	1.000
Sig. (1-tailed)	Keputusan Pembelian	.	.037	.027	.277
	Harga	.037	.	.068	.088
	Inovasi Desain	.027	.068	.	.121
	Kualitas Pelayanan	.277	.088	.121	.
N	Keputusan Pembelian	50	50	50	50
	Harga	50	50	50	50
	Inovasi Desain	50	50	50	50
	Kualitas Pelayanan	50	50	50	50

Variables Entered/Removed(b)

Model	Variables Entered	Variables Removed	Method
1	Kualitas Pelayanan, Inovasi Desain, Harga(a)	.	Enter

a All requested variables entered.

b Dependent Variable: Keputusan Pembelian

Model Summary(b)

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.432(a)	.186	.133	.38738	1.836

a Predictors: (Constant), Kualitas Pelayanan, Inovasi Desain, Harga

b Dependent Variable: Keputusan Pembelian

ANOVA(b)

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.580	3	.527	3.510	.022(a)
	Residual	6.903	46	.150		
	Total	8.483	49			

a Predictors: (Constant), Kualitas Pelayanan, Inovasi Desain, Harga

b Dependent Variable: Keputusan Pembelian

Coefficients(a)

Model		Unstandardized	Standardized	t	Sig.	Collinearity Statistics
-------	--	----------------	--------------	---	------	-------------------------

		Coefficients		Coefficients				Tolerance	VIF
		B	Std. Error	Beta					
1	(Constant)	3.753	.984			3.816	.000		
	Harga	.444	.194	.316	2.287	.027	.928	1.077	
	Inovasi Desain	-.338	.130	-.357	-2.600	.013	.937	1.067	
	Kualitas Pelayanan	.112	.181	.085	.619	.539	.945	1.058	

a Dependent Variable: Keputusan Pembelian

Collinearity Diagnostics(a)

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	Harga	Inovasi Desain	Kualitas Pelayanan
1	1	3.984	1.000	.00	.00	.00	.00
	2	.009	21.209	.02	.04	.98	.08
	3	.004	29.804	.00	.60	.01	.56
	4	.002	42.568	.98	.36	.02	.36

a Dependent Variable: Keputusan Pembelian

Residuals Statistics(a)


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	4.3371	4.9689	4.6455	.17959	50
Std. Predicted Value	-1.717	1.801	.000	1.000	50
Standard Error of Predicted Value	.059	.183	.105	.031	50
Adjusted Predicted Value	4.3295	4.9879	4.6482	.18299	50
Residual	-.76367	.86812	.00000	.37534	50
Std. Residual	-1.971	2.241	.000	.969	50
Stud. Residual	-1.994	2.276	-.003	1.001	50
Deleted Residual	-.78155	.89570	-.00277	.40127	50
Stud. Deleted Residual	-2.064	2.390	.000	1.021	50
Mahal. Distance	.141	9.977	2.940	2.395	50
Cook's Distance	.000	.125	.017	.023	50
Centered Leverage Value	.003	.204	.060	.049	50

a Dependent Variable: Keputusan Pembelian

Charts

Histogram


Dependent Variable: Keputusan Pembelian



Mean = -1.84E-15
Std. Dev. = 0.969
N = 50


Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Keputusan Pembelian



Scatterplot

Dependent Variable: Keputusan Pembelian



NPar Tests

Notes

Output Created		14-MAY-2020 12:53:43
Comments		
Input	Data	C:\Program Files\SPSS\eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPARTESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.
Resources	Elapsed Time	0:00:00.19

Number of Cases Allowed(a)	196736
----------------------------	--------

a Based on availability of workspace memory.

[DataSet1] C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		50
Normal Parameters(a,b)	Mean	.0000000
	Std. Deviation	.37533852
Most Extreme Differences	Absolute	.094
	Positive	.094
	Negative	-.041
Kolmogorov-Smirnov Z		.668
Asymp. Sig. (2-tailed)		.764

a Test distribution is Normal.

b Calculated from data.

Means

Notes

Output Created	14-MAY-2020 12:54:14	
Comments		
Input	Data	C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax	MEANS TABLES=Y BY X1 X2 X3 /CELLS MEAN COUNT STDDEV /STATISTICS ANOVA LINEARITY .	
Resources	Elapsed Time	0:00:00.22

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Keputusan Pembelian * Harga	50	100.0%	0	.0%	50	100.0%
Keputusan Pembelian * Inovasi Desain	50	100.0%	0	.0%	50	100.0%
Keputusan Pembelian * Kualitas Pelayanan	50	100.0%	0	.0%	50	100.0%

Keputusan Pembelian * Harga

Report

Keputusan Pembelian

Harga	Mean	N	Std. Deviation
3.00	4.3636	1	.
3.08	4.0909	1	.
3.50	4.7727	2	.32141
3.58	4.4091	2	.32141
3.67	4.1818	3	.36364
3.75	4.5455	3	.36364
3.83	4.6104	7	.66745
3.92	4.8586	9	.38060
4.00	4.5795	8	.27888
4.08	4.9773	4	.42234
4.25	4.4848	3	.05249
4.33	4.7455	5	.37703
4.42	4.7727	2	.06428
Total	4.6455	50	.41609

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.
Keputusan Pembelian * Harga	Between Groups	(Combined) 2.258	12	.188	1.119	.375
		Linearity .555	1	.555	3.297	.078
		Deviation from Linearity 1.704	11	.155	.921	.531
	Within Groups	6.225	37	.168		
	Total	8.483	49			

Measures of Association

	R	R Squared	Eta	Eta Squared
Keputusan Pembelian * Harga	.256	.065	.516	.266

Keputusan Pembelian * Inovasi Desain

Report

Keputusan Pembelian

Inovasi Desain	Mean	N	Std. Deviation
2.89	4.5000	2	.44998
3.00	4.9091	1	.
3.11	4.7727	2	.06428
3.16	5.2424	3	.10497
3.47	4.3636	1	.
3.58	4.3636	3	.24052
3.63	5.4545	1	.
3.68	4.8182	1	.
3.74	4.4545	1	.
3.84	4.8788	3	.46651
3.89	4.8182	5	.44998
3.95	4.0000	2	.25713
4.00	4.7273	1	.
4.05	4.8000	5	.14938
4.11	4.7500	4	.52683
4.16	3.9091	1	.
4.21	4.5227	4	.45379
4.32	4.3636	2	.25713
4.37	4.3818	5	.34257
4.42	4.6364	2	.25713
4.47	4.5455	1	.
Total	4.6455	50	.41609

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.		
Keputusan Pembelian * Inovasi Desain	Between Groups	(Combined)		4.687	20	.234	1.790	.075
		Linearity		.642	1	.642	4.907	.035
		Deviation from Linearity		4.044	19	.213	1.626	.116
	Within Groups			3.797	29	.131		
Total				8.483	49			

Measures of Association

	R	R Squared	Eta	Eta Squared
Keputusan Pembelian * Inovasi Desain	-.275	.076	.743	.552

Keputusan Pembelian * Kualitas Pelayanan

Report

Keputusan Pembelian

Kualitas Pelayanan	Mean	N	Std. Deviation
3.63	5.1818	1	.
3.69	5.0000	1	.
3.75	4.5152	3	.18924
3.81	4.5303	6	.21831
3.88	4.6667	3	.78379
3.94	4.5606	6	.10628
4.00	4.6364	3	.41660
4.06	4.7727	2	.70711
4.13	4.0909	2	.38569
4.19	4.4545	1	.
4.25	4.6061	6	.54747
4.31	5.1364	2	.44998
4.38	4.5909	4	.36740
4.44	5.4545	1	.
4.50	4.8636	2	.44998
4.56	4.5455	3	.55298
4.63	4.5455	2	.51426
4.69	5.0000	1	.
5.00	4.7273	1	.
Total	4.6455	50	.41609

ANOVA Table

	Sum of Squares	df	Mean Square	F	Sig.		
Keputusan Pembelian * Kualitas Pelayanan	Between Groups	(Combined)	2.708	18	.150	.808	.678
	Linearity		.063	1	.063	.336	.566
	Deviation from Linearity		2.645	17	.156	.835	.645
	Within Groups		5.775	31	.186		
	Total		8.483	49			

Measures of Association

	R	R Squared	Eta	Eta Squared
Keputusan Pembelian * Kualitas Pelayanan	.086	.007	.565	.319

Reliability

Notes

Output Created	14-MAY-2020 16:49:11	
Comments		
Input	Data	C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=Q1 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q9 Q10 Q11 Q12 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.	
Resources	Elapsed Time	0:00:00.10
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	608 bytes

[DataSet1] C:\Program Files\SPSS\SPSSEval\hidaadibuana.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded(a)	0	.0
	Total	50	100.0

a Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items

Reliability

Notes

Output Created		14-MAY-2020 16:49:37
Comments		
Input	Data	C:\Program Files\SPSS\SPSS Eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Q13 Q14 Q15 Q16 Q17 Q18 Q19 Q20 Q21 Q22 Q23 Q24 Q25 Q26 Q27 Q28 Q29 Q30 Q31 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.13
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	944 bytes

[DataSet1] C:\Program Files\SPSS\SPSS Eval\hidaadibuana.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded(a)	0	.0
	Total	50	100.0

a Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.893	19

Reliability

Notes

Output Created	14-MAY-2020 16:49:59	
Comments		
Input	Data	C:\Program Files\SPSSEval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=Q32 Q33 Q34 Q35 Q36 Q37 Q38 Q39 Q40 Q41 Q42 Q43 Q44 Q45 Q46 Q47 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.	
Resources	Elapsed Time	0:00:00.14
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	800 bytes

[DataSet1] C:\Program Files\SPSSEval\hidaadibuana.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded(a)	0	.0
	Total	50	100.0

a Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.715	16

Reliability

Notes

Output Created	14-MAY-2020 16:50:17	
Comments		
Input	Data	C:\Program Files\SPSS\eval\hidaadibuana.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=Q48 Q49 Q50 Q51 Q52 Q53 Q54 Q55 Q56 Q57 Q58 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.	
Resources	Elapsed Time	0:00:00.13
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	560 bytes

[DataSet1] C:\Program Files\SPSS\eval\hidaadibuana.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded(a)	0	.0
	Total	50	100.0

a Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.813	11