

DAFTAR PUSTAKA

- Agus, A. I. (2021). Efektifitas Obat Herbal Terhadap Penyembuhan Jerawat: A Systematic Review. *Window of Nursing Journal*, 1(2), 152–162. <https://doi.org/10.33096/won.v1i2.625>
- Aher, S. S., Malsane, S. T., & Saudagar, R. B. (2017). Nanosuspension: An overview. *Int J Curr Pharm Res*, 9(3), 19–23.
- Aisiyah, S., Harjanti, R., & Nopiyanti, V. (2019). Pengaruh Panjang Rantai Karbon Lipid Padat terhadap Karakteristik Nanostructured Lipid Carrier Resveratrol. *J Pharm Sci*, 2, 71.
- Annisa, R., Hendradi, E., & Melani, D. (2016). Pengembangan Sistem Nanostructured Lipid Carriers (NLC) Meloxicam Dengan Lipid Monostearin Dan Miglyol 808 Menggunakan Metode Emulsifikasi. *Journal Of Tropical Pharmacy And Chemistry*, 3(3), 156–169. <https://doi.org/10.25026/jtpc.v3i3.102>
- Arana, L., Salado, C., Vega, S., Aizpurua-Olaizola, O., Arada, I. de la, Suarez, T., Usobiaga, A., Arrondo, J. L. R., Alonso, A., Goñi, F. M., & Alkorta, I. (2015). Solid lipid nanoparticles for delivery of Calendula officinalis extract. *Colloids and Surfaces B: Biointerfaces*, 135, 18–26. <https://doi.org/10.1016/j.colsurfb.2015.07.020>
- Aryani, R., Hidayat, A. F., & Karimah, A. Z. (2021). Desain dan Optimasi Nlc (Nanostructured Lipid Carriers) Ekstrak Etanol Daun Teh Hijau (*Camellia Sinensis* L. Kuntze) dengan Variasi Lipid. *Jurnal Ilmiah Farmasi Farmasyifa*, 4(1), 41–48.
- Ashwlayan, V. D., Kumar, A., Verma, M., Garg, V. K., & Gupta, S. (2018). Therapeutic Potential of Calendula officinalis. *Pharmacy & Pharmacology International Journal*, 6(2). <https://doi.org/10.15406/ppij.2018.06.00171>
- Chaleshtori, S. H., Kachoie, M. A., & Pirbalouti, A. G. (2016). Phytochemical analysis and antibacterial effects of Calendula of cinalis essential oil. *Bioscience Biotechnology Research Communications*, 9(3), 517–522. <https://doi.org/10.21786/bbrc/9.3/26>
- Chen-yu, G., Chun-fen, Y., Qi-lu, L., Qi, T., Yan-wei, X., Wei-na, L., & Guang-Xi, Z. (2012). Development of a quercetin-loaded nanostructured lipid carrier formulation for topical delivery. *International journal of pharmaceutics*, 430(1–2), 292–298.
- Esposito, E., Drechsler, M., Cortesi, R., & Nastruzzi, C. (2016). Encapsulation of cannabinoid drugs in nanostructured lipid carriers. *European Journal of Pharmaceutics and Biopharmaceutics*, 102, 87–91.

- Fang, C.-L., A Al-Suwayeh, S., & Fang, J.-Y. (2013). Nanostructured lipid carriers (NLCs) for drug delivery and targeting. *Recent patents on nanotechnology*, 7(1), 41–55.
- Farooq, A., Shafaghat, H., & Jae. (2019). Enhanced stability of bio-oil and diesel fuel emulsion using Span 80 and Tween 60 emulsifiers. *Journal of Environmental Management*, 231, 694–700. <https://doi.org/10.1016/j.jenvman.2018.10.098>
- Febriana, A., Priani, S. E., & Rahma, H. (2022). Kajian Pengembangan Sistem Nanostructured Lipid Carrier (NLC) Untuk Pengantaran Agen Inhibitor Tirosinase. *Bandung Conference Series: Pharmacy*, 2(2).
- Firmansyah, Y., & Tan, S. T. (2022). Brief and Evidence Review: Kombinasi Tretinoin, Klindamisin, dan Dexamethasone Topikal untuk Terapi Acne Vulgaris. *Jurnal Medika Utama*, 3(02 Januari), 2400–2447.
- Fitriani, E. W., Surini, S., Avanti, C., & Rosana, Y. (2022). Design Of Tea Tree Oil-Loaded Nanostructured Lipid Carriers: Preparation And In Vitro Antifungal Activity. *Journal of Southwest Jiaotong University*, 57(1), 205–211. <https://doi.org/10.35741/issn.0258-2724.57.1.18>
- Gafner, S., & Dowell, A. (2018). *Tea Tree Oil Laboratory Guidance Document*. 14.
- Garg, S., Heuck, G., Ip, S., & Ramsay, E. (2016). Microfluidics: A transformational tool for nanomedicine development and production. *Journal of drug targeting*, 24(9), 821–835.
- Ge, Y., & Ge, M. (2015). Development of tea tree oil-loaded liposomal formulation using response surface methodology. *Journal of Liposome Research*, 25(3), 222–231. <https://doi.org/10.3109/08982104.2014.987786>
- Handayani, S. (2021). *Anatomi dan Fisiologi Tubuh Manusia*. Media Sains Indonesia.
- Imanto, T., Prasetiawan, R., & Wikantyasning, E. R. (2019). Formulasi dan Karakterisasi Sediaan Nanoemulgel Serbuk Lidah Buaya (Aloe Vera L.). *Pharmacon: Jurnal Farmasi Indonesia*, 16(1), 28–37.
- Indalifiany, A., Malaka, M. H., Sahidin, Fristiohady, A., & Andriani, R. (2021). Formulasi Dan Uji Stabilitas Fisik Nanoemulgel Formulation And Physical Stability Test Of Nanoemulgel Containing Petrosia Sp . *Jurnal Farmasi Sains Dan Praktis (JFSP)*, 7(3), 321–331.
- Indonesia, H. (2022). *Intip 4 Manfaat Calendula Oil Bagi Kecantikan, Apa Saja?* Herworld Indonesia. <https://www.herworld.co.id/article/2022/7/23481-Intip-4-Manfaat-Calendula-Oil-Bagi-Kecantikan-Apa-Saja>

- Jaiswal, P., Gidwani, B., & Vyas, A. (2016). Nanostructured lipid carriers and their current application in targeted drug delivery. *Artificial cells, nanomedicine, and biotechnology*, 44(1), 27–40.
- Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (JBM)*, 5(3). <https://doi.org/10.35790/jbm.5.3.2013.4344>
- Karunakar, G., Patel, N. P., & Kamal, S. S. (2016). Nano structured lipid carrier based drug delivery system. *J Chem Pharm Res*, 8(2), 627–643.
- Kaur, P., Mishra, V., Shunmugaperumal, T., Goyal, A. K., Ghosh, G., & Rath, G. (2020). Inhalable spray dried lipidnanoparticles for the co-delivery of paclitaxel and doxorubicin in lung cancer. *Journal of Drug Delivery Science and Technology*, 56, 101502.
- Kharat, M., & McClements, D. J. (2019). Fabrication and characterization of nanostructured lipid carriers (NLC) using a plant-based emulsifier: Quillaja saponin. *Food Research International*, 126, 108601.
- Khosa, A., Reddi, S., & Saha, R. N. (2018). Nanostructured lipid carriers for site-specific drug delivery. *Biomedicine & Pharmacotherapy*, 103, 598–613. <https://doi.org/10.1016/j.biopha.2018.04.055>
- Lakshmi, P., & Kumar, G. A. (2010). Nanosuspension technology: A review. *Int J Pharm Pharm Sci*, 2(4), 35–40.
- Li, B., & Ge, Z.-Q. (2012). Nanostructured lipid carriers improve skin permeation and chemical stability of idebenone. *AAPS pharmscitech*, 13(1), 276–283.
- Li, X., Shen, D., Zang, Q., Qiu, Y., & Yang, X. (2021). Chemical Components and Antimicrobial Activities of Tea Tree Hydrosol and Their Correlation with Tea Tree Oil. *Natural Product Communications*, 16(9), 1934578X211038390.
- Madelina, W., & Sulistiyarningsih, S. (2018). Resistensi Antibiotik Pada Terapi Pengobatan Jerawat. *Farmaka*, 16(2), 105–117.
- Masri, M., Rahmat, D., & Wibowo, A. E. (2021). Pengembangan Sediaan Emulgel dari Nanostructured Lipid Carrier (NLC) Tetrahydrocurcumin Sebagai Pencerah: Development of Emulgel Nanostructured Lipid Carriers (NLCs) Tetrahydrocurcumin as an Enlightener Skin. *Jurnal Sains dan Kesehatan*, 3(3), 478–487.
- Mendes, I. T., Ruela, A. L. M., Carvalho, F. C., Freitas, J. T. J., Bonfilio, R., & Pereira, G. R. (2019). Development and characterization of nanostructured lipid carrier-based gels for the transdermal delivery of donepezil. *Colloids and Surfaces B: Biointerfaces*, 177, 274–281.
- Montgomery, D. C. (2017). *Design and Analysis of Experiments*. John Wiley & Sons.

- Naseri, N., Valizadeh, H., & Zakeri-Milani, P. (2015). Solid lipid nanoparticles and nanostructured lipid carriers: Structure, preparation and application. *Advanced pharmaceutical bulletin*, 5(3), 305.
- Noumi, E., Snoussi, M., Hajlaoui, H., Trabelsi, N., Ksouri, R., Valentin, E., & Bakhrouf, A. (t.t.). *Chemical composition, antioxidant and antifungal potential of Melaleuca alternifolia (tea tree) and Eucalyptus globulus essential oils against oral Candida species*. 11.
- Nugroho, B. H. (2017). *Studi Pelepasan Dan Penetrasi Formulasi Nanopartikel Isolat Andrografolida Dengan Variasi PVA (Polyvinyl Alcohol)*.
- Nurdianti, L. (2018). Evaluasi Sediaan Emulgel Anti Jerawat *Tea Tree (Melaleuca alternifolia)* Oil Dengan Menggunakan HPMC Sebagai Gelling Agent. *Journal of Pharmacopolium*, 1(1). <https://doi.org/10.36465/jop.v1i1.392>
- Nurhasanah, K. (2020). *Pengaruh Rosemary Essential Oil Terhadap Karakteristik Dan Stabilitas Fisik (Thermal Cycle) Sistem Nanostructured Lipid Carrier Coenzyme Q10 (Lipid Padat Kombinasi Beeswax-Oleum Cacao Dan Lipid Cair Vco)*. UNIVERSITAS AIRLANGGA.
- Parmitasari, P., & Hidayanto, E. (2013). Analisis Korelasi Indeks Bias Dengan Konsentrasi Sukrosa Beberapa Jenis Madu Menggunakan Portable Brix Meter. *Youngster Physics Journal*, 2(4), Article 4.
- Patil, K., Sanjay, C. J., DoggALLI, Na., Devi, K. R., & Harshitha, N. (2022). A Review of Calendula Officinalis-Magic in Science. *Journal of Clinical & Diagnostic Research*, 16(2).
- Pazyar, N., Yaghoobi, R., Bagherani, N., & Kazerouni, A. (2013). A review of applications of tea tree oil in dermatology. *International Journal of Dermatology*, 52(7), 784–790. <https://doi.org/10.1111/j.1365-4632.2012.05654.x>
- Pinto, F., de Barros, D. P. C., Reis, C., & Fonseca, L. P. (2019). Optimization of nanostructured lipid carriers loaded with retinoids by central composite design. *Journal of Molecular Liquids*, 293, 111468. <https://doi.org/10.1016/j.molliq.2019.111468>
- Purohit, D. K., Nandgude, T. D., & Poddar, S. S. (2016). *Nano-lipid Carriers for Topical Application: Current Scenario*. 9.
- Rahmawan, T. G., Rosita, N., & Erawati, T. (2012). Characterisation of solid lipid nanoparticles p-methoxycinnamic acid (SLN-PMCA) formulated with different lipid component: Stearic acid and cetyl alcohol. *PharmaScientia*, 1(1), 23–29.
- Ramdani, R., & Sibero, H. T. (2015). *Treatment For Acne Vulgaris*. 9.

- Riangjanapatee, P., Khongkow, M., Treetong, A., Unger, O., Phungbun, C., Jaemsai, S., Bootsiri, C., & Okonogi, S. (2022). Development of Tea Seed Oil Nanostructured Lipid Carriers and In Vitro Studies on Their Applications in Inducing Human Hair Growth. *Pharmaceutics*, 14(5), Article 5. <https://doi.org/10.3390/pharmaceutics14050984>
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2005). *Handbook of pharmaceutical excipients* (6th ed). Pharmaceutical press.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of pharmaceutical excipients* (6th ed). Pharmaceutical press.
- Shah, R., Eldridge, D., Palombo, E., & Harding, I. (2015). *Lipid nanoparticles: Production, characterization and stability* (Vol. 1). Springer.
- Sharma, A., & Baldi, A. (2018). *Nanostructured Lipid Carriers: A Review*. 7(1), 13.
- Sharma, K., Agrawal, S. S., & Gupta, M. (2012). Development and validation of UV spectrophotometric method for the estimation of curcumin in bulk drug and pharmaceutical dosage forms. *Int J drug dev res*, 4(2), 375–380.
- Sibero, H. T., Putra, I. W. A., & Angraini, D. I. (2019). *Tatalaksana Terkini Acne Vulgaris*. 8.
- Sifatullah, N., & Zulkarnain, Z. (2021). Jerawat (Acne vulgaris): Review penyakit infeksi pada kulit. *Prosiding Seminar Nasional Biologi*, 7(1), 19–23.
- Singh, B. R., Vadhana, P., Bhardwaj, M., & Kumar, V. (2016). Comparative Antimicrobial Activity of Tea Tree Oil (Melaleuca Oil) and Common Topical Antimicrobials against Bacteria Associated With Wound and Topical Infections. *Pharmaceutica Analytica Acta*, 7(11). <https://doi.org/10.4172/2153-2435.1000513>
- Soni, K., Kukereja, B. K., Kapur, M., & Kohli, K. (2015). Lipid nanoparticles: Future of oral drug delivery and their current trends and regulatory issues. *Int J Curr Pharm Rew Res*, 7(1), 1–8.
- Tungadi, R., Thomas, N. A., & Gobel, W. G. V. (2021). Formulasi, Karakterisasi, Dan Evaluasi Drops Liquid Self Nano-Emulsifying Drug Delivery System (SNEDDS) Astaxanthin. *Indonesian Journal of Pharmaceutical Education*, 1(3), 168–178. <https://doi.org/10.37311/ijpe.v1i3.11400>
- Upreti, T., & Senthil, V. (2017). Nanostructured lipid carrier system for the treatment for skin disease—A review. *JSM Nanotechnol Nanomed*, 5(3), 1059–1064.
- Uprit, S., Kumar Sahu, R., Roy, A., & Pare, A. (2013). Preparation and characterization of minoxidil loaded nanostructured lipid carrier gel for

- effective treatment of alopecia. *Saudi Pharmaceutical Journal*, 21(4), 379–385. <https://doi.org/10.1016/j.jsps.2012.11.005>
- Wang, Q., & Chao, Y. (2018). Multifunctional quantum dots and liposome complexes in drug delivery. *Journal of Biomedical Research*, 32(2), 91.
- Waard, H., Hinrichs, W.L., Visser, M.R., Bologna, C., Frijlink, H.W., 2019, Unexpected Differences in Dissolution Behavior of Tablets Prepared From Solid Dispersions With a Surfactant Physically Mixed or Incorporated, *Int. J. Pharm.*, 349, 66-73
- Xia, D., Shrestha, N., van de Streek, J., Mu, H., & Yang, M. (2016). Spray drying of fenofibrate loaded nanostructured lipid carriers. *asian journal of pharmaceutical sciences*, 11(4), 507–515.
- Xu, J., Shao, X., Li, Y., Wei, Y., Xu, F., & Wang, H. (2017). Metabolomic Analysis and Mode of Action of Metabolites of Tea Tree Oil Involved in the Suppression of *Botrytis cinerea*. *Frontiers in Microbiology*, 8, 1017. <https://doi.org/10.3389/fmicb.2017.01017>
- Yan, H.-M., Zhao, H.-J., Guo, D.-Y., Zhu, P.-Q., Zhang, C.-L., & Jiang, W. (2018). Gut microbiota alterations in moderate to severe acne vulgaris patients. *The Journal of Dermatology*, 45(10), 1166–1171. <https://doi.org/10.1111/1346-8138.14586>
- Yasin, M., Younis, A., Javed, T., Akram, A., Ahsan, M., Shabbir, R., Ali, M. M., Tahir, A., El-Ballat, E. M., & Sheteiwy, M. S. (2021). River Tea Tree Oil: Composition, Antimicrobial and Antioxidant Activities, and Potential Applications in Agriculture. *Plants*, 10(10), 2105.
- Yasin, M., Younis, A., Javed, T., Akram, A., Ahsan, M., Shabbir, R., Ali, M. M., Tahir, A., El-Ballat, E. M., Sheteiwy, M. S., Sammour, R. H., Hano, C., Alhumaydhi, F. A., & El-Esawi, M. A. (2021). River Tea Tree Oil: Composition, Antimicrobial and Antioxidant Activities, and Potential Applications in Agriculture. *Plants*, 10(10), 2105. <https://doi.org/10.3390/plants10102105>
- Yumas, M. (2016). Formulasi Sediaan Krim Wajah Berbahan Aktif Ekstra Metanol Biji Kakao Non Fermentasi (*Theobroma Cacao L*) Kombinasi Madu Lebah. *Jurnal Industri Hasil Perkebunan*, 11(2), 75–87.
- Zeiner, M., Juranović Cindrić, I., Kandler, W., & Stingeder, G. (2018). Trace determination of skin-irritating metals in tea tree oil by GFAAS. *Microchemical Journal*, 136, 101–105. <https://doi.org/10.1016/j.microc.2016.12.016>
- Zhang, H.-W., Dang, Q., Zhang, Z.-W., & Wu, F.-S. (2017). Development, characterization and evaluation of doxorubicin nanostructured lipid carriers for prostate cancer. *J BUON*, 22(1), 102–111.

- Zhang, X., Guo, Y., Guo, L., Jiang, H., & Ji, Q. (2018). *In Vitro* Evaluation of Antioxidant and Antimicrobial Activities of *Melaleuca alternifolia* Essential Oil. *BioMed Research International*, 2018, 1–8. <https://doi.org/10.1155/2018/2396109>
- Zhong, Q., & Zhang, L. (2019). Nanoparticles fabricated from bulk solid lipids: Preparation, properties, and potential food applications. *Advances in colloid and interface science*, 273, 102033.
- Zhuang, C.-Y., Li, N., Wang, M., Zhang, X.-N., Pan, W.-S., Peng, J.-J., Pan, Y.-S., & Tang, X. (2010). Preparation and characterization of vinpocetine loaded nanostructured lipid carriers (NLC) for improved oral bioavailability. *International journal of pharmaceutics*, 394(1–2), 179–185.