

DAFTAR PUSTAKA

- Abdulkarim, M.F. *et al.* (2010) 'Formulation and characterization of palm oil esters based nano-cream for topical delivery of piroxicam', *International journal of drug delivery*, 2(4).
- Adebisi, A.O. *et al.* (2016) 'Solid-state, triboelectrostatic and dissolution characteristics of spray-dried piroxicam-glucosamine solid dispersions', *Colloids and Surfaces B: Biointerfaces*, 146, pp. 841–851.
- Aldrat, H. (2017) *Analisis Piroksikam dengan Reagen Spesifik dalam Sediaan Jamu yang Beredar di daerah Tangerang Selatan menggunakan Metode Analisis Spektrofotometri Ultraviolet-Visible*. UIN Syarif Hidayatullah Jakarta: Fakultas Kedokteran dan Ilmu Kesehatan, 2017.
- Alkilani, A.Z., McCrudden, M.T. and Donnelly, R.F. (2015) 'Transdermal drug delivery: innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum', *Pharmaceutics*, 7(4), pp. 438–470.
- Anggraeni, Y., Hendradi, E. and Purwanti, T. (2012) 'Karakteristik sediaan dan pelepasan natrium diklofenak dalam sistem niosom dengan basis gel carbomer 940', *Pharma Scientia*, 1(1), pp. 1–15.
- Annisa, R., Hendradi, E. and Melani, D. (2016a) 'Pengembangan sistem nanostructured lipid carriers (NLC) meloxicam dengan lipid monostearin dan miglyol 808 menggunakan metode emulsifikasi', *Journal of Tropical Pharmacy and Chemistry*, 3(3), pp. 156–169.

- Annisa, R., Hendradi, E. and Melani, D. (2016b) 'Pengembangan sistem nanostructured lipid carriers (NLC) meloxicam dengan lipid monostearin dan miglyol 808 menggunakan metode emulsifikasi', *Journal of Tropical Pharmacy and Chemistry*, 3(3), pp. 156–169.
- Annisa, V. (2020) 'Review Artikel: Metode untuk Meningkatkan Absorpsi Obat Transdermal', *Journal of Islamic Pharmacy*, 5(1), pp. 18–27.
- Ansel, H.C., Allen Jr, L.V. and Popovich, N.G. (2020) 'Ansel Bentuk Sediaan Farmasetis & Sistem Penghantaran Obat'.
- Aryani, R., Hidayat, A.F. and Karimah, A.Z. (2021) 'Desain Dan Optimasi NLC (Nanostructured Lipid Carriers) Ekstrak Etanol Daun Teh Hijau (*Camellia sinensis* L. Kuntze) Dengan Variasi Lipid', *Jurnal Ilmiah Farmasi Farmasyifa*, 4(1), pp. 41–48. Available at: <https://doi.org/10.29313/jiff.v4i1.7151>.
- Avadi, M.R. *et al.* (2010) 'Preparation and characterization of insulin nanoparticles using chitosan and Arabic gum with ionic gelation method', *Nanomedicine: Nanotechnology, Biology and Medicine*, 6(1), pp. 58–63.
- Benson, H.A. (2005) 'Transdermal drug delivery: penetration enhancement techniques', *Current drug delivery*, 2(1), pp. 23–33.
- Bhatia, M. and Rohilla, S. (2020) 'Formulation and optimization of quinoa starch nanoparticles: Quality by design approach for solubility enhancement of piroxicam', *Saudi Pharmaceutical Journal*, 28(8), pp. 927–935.
- Bindu, S., Mazumder, S. and Bandyopadhyay, U. (2020) 'Non-steroidal anti-inflammatory drugs (NSAIDs) and organ damage: A current perspective', *Biochemical pharmacology*, 180, p. 114147.

- Bolton, S. and Bor, S. (2003) *Pharmaceutical Statistics: Practical and Clinical Applications, Revised and Expanded*. CRC press.
- Carpentieri-Rodrigues, L.N., Zanluchi, J.M. and Grebogi, I.H. (2007) ‘Percutaneous absorption enhancers: Mechanisms and potential’, *Brazilian Archives of Biology and Technology*, 50, pp. 949–961.
- Chauhan, I. *et al.* (2020) ‘Nanostructured lipid carriers: A groundbreaking approach for transdermal drug delivery’, *Advanced Pharmaceutical Bulletin*, 10(2), pp. 150–165. Available at: <https://doi.org/10.34172/apb.2020.021>.
- Chen-yu, G. *et al.* (2012) ‘Development of a quercetin-loaded nanostructured lipid carrier formulation for topical delivery’, *International journal of pharmaceutics*, 430(1–2), pp. 292–298.
- Cirri, M. *et al.* (2012) ‘Development of a new delivery system consisting in “drug-in cyclodextrin-in nanostructured lipid carriers” for ketoprofen topical delivery’, *European Journal of Pharmaceutics and Biopharmaceutics*, 80(1), pp. 46–53.
- Czajkowska-Kośnik, A., Szekalska, M. and Winnicka, K. (2019) ‘Nanostructured lipid carriers: A potential use for skin drug delivery systems’, *Pharmacological Reports*, 71(1), pp. 156–166.
- Escobar-Chavez, J.J., Rodriguez-Cruz, I.M. and Dominguez-Delgado, C.L. (2012) ‘Chemical and physical enhancers for transdermal drug delivery’, *Pharmacology*, 7, pp. 978–953.
- Farida, E. (2017) ‘Formulasi dan Evaluasi Sediaan Nanoemulgel Piroksikam Menggunakan Variasi Konsentrasi Surfaktan Tween 80 dan Kosurfaktan PEG 400’.

- Gaikwad, A.K. (2013) 'Transdermal drug delivery system: Formulation aspects and evaluation', *Comprehensive Journal of Pharmaceutical Sciences*, 1(1), pp. 1–10.
- Ghadiri, M. *et al.* (2012) 'Loading hydrophilic drug in solid lipid media as nanoparticles: Statistical modeling of entrapment efficiency and particle size', *International journal of pharmaceutics*, 424(1–2), pp. 128–137.
- Guttadauria, M. (1986) 'The clinical pharmacology of piroxicam', *Acta Obstetricia et Gynecologica Scandinavica*, 65(sup138), pp. 11–13.
- Hariyadi, D.M., Rosita, N. and Rahayu, A. (2019) 'Design, optimization and characterization of glutathione loaded-alginate microspheres for topical antiaging', *Journal of Pharmacy & Pharmacognosy Research*, 7(4), pp. 223–233.
- Hidayat, I.R., Zuhrotun, A. and Sopyan, I. (2021) 'Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi', *Majalah Farmasetika*, 6(1), pp. 99–120.
- Karn-Orachai, K. *et al.* (2014) 'The effect of surfactant composition on the chemical and structural properties of nanostructured lipid carriers', *Journal of Microencapsulation*, 31(6), pp. 609–618.
- Kovacevic, A. *et al.* (2011) 'Polyhydroxy surfactants for the formulation of lipid nanoparticles (SLN and NLC): effects on size, physical stability and particle matrix structure', *International journal of pharmaceutics*, 406(1–2), pp. 163–172.

- Lai, F. *et al.* (2014) 'Formulation strategy and evaluation of nanocrystal piroxicam orally disintegrating tablets manufacturing by freeze-drying', *International journal of pharmaceutics*, 467(1–2), pp. 27–33.
- Lambers, H. *et al.* (2006) 'Natural skin surface pH is on average below 5, which is beneficial for its resident flora', *International journal of cosmetic science*, 28(5), pp. 359–370.
- Li, S. *et al.* (2012) 'An arginine derivative contained nanostructure lipid carriers with pH-sensitive membranolytic capability for lysosomolytic anti-cancer drug delivery', *International journal of pharmaceutics*, 436(1–2), pp. 248–257.
- Martínez, M.-Á.M. (2015) 'Economic Evaluation of the Restriction in the Use of Piroxicam in Spain', *Reumatología Clínica (English Edition)*, 11(6), pp. 345–352.
- Marwah, H. *et al.* (2016) 'Permeation enhancer strategies in transdermal drug delivery', *Drug delivery*, 23(2), pp. 564–578.
- Mehnert, W. and Mäder, K. (2012) 'Solid lipid nanoparticles: production, characterization and applications', *Advanced drug delivery reviews*, 64, pp. 83–101.
- zur Mühlen, A., Schwarz, C. and Mehnert, W. (1998) 'Solid lipid nanoparticles (SLN) for controlled drug delivery—drug release and release mechanism', *European journal of pharmaceutics and biopharmaceutics*, 45(2), pp. 149–155.
- Müller, R.H., Mäder, K. and Gohla, S. (2000) 'Solid lipid nanoparticles (SLN) for controlled drug delivery—a review of the state of the art', *European journal of pharmaceutics and biopharmaceutics*, 50(1), pp. 161–177.

- Naseri, N., Valizadeh, H. and Zakeri-Milani, P. (2015) 'Solid lipid nanoparticles and nanostructured lipid carriers: structure, preparation and application', *Advanced pharmaceutical bulletin*, 5(3), p. 305.
- Nasirizadeh, S. and Malaekheh-Nikouei, B. (2020) 'Solid lipid nanoparticles and nanostructured lipid carriers in oral cancer drug delivery', *Journal of Drug Delivery Science and Technology*, 55, p. 101458.
- Navarro-Martínez, A. *et al.* (2015) 'Perfil de prescripción y adecuación del tratamiento con antiinflamatorios no esteroideos en el paciente diabético', *Revista de Calidad Asistencial*, 30(5), pp. 256–264.
- Negara, J.K. *et al.* (2016) 'Aspek mikrobiologis, serta Sensori (Rasa, Warna, Tekstur, Aroma) Pada Dua Bentuk Penyajian Keju yang Berbeda', *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 4(2), pp. 286–290.
- Nuraeni, F., Agustin, Y.H. and Yusup, E.N. (2016) 'Aplikasi Pakar Untuk Diagnosa Penyakit Kulit Menggunakan Metode Forward Chaining Di Al Arif Skin Care Kabupaten Ciamis', *Semnasteknomedia Online*, 4(1), pp. 3-4–55.
- Nuraeni, W. *et al.* (2013) 'Verifikasi kinerja alat particle size analyzer (PSA) Horiba LB-550 untuk penentuan distribusi ukuran nanopartikel'.
- Pawar, P.M., Solanki, K.P. and Mandali, V.A. (2018) 'Recent advancements in transdermal drug delivery system', *Int J Pharm Clin Res*, 10(3), pp. 65–73.
- Prausnitz, M.R. and Langer, R. (2008) 'Transdermal drug delivery', *Nature biotechnology*, 26(11), pp. 1261–1268.

- Qian, C. *et al.* (2012) ‘Solid lipid nanoparticles: Effect of carrier oil and emulsifier type on phase behavior and physical stability’, *Journal of the American Oil Chemists’ Society*, 89(1), pp. 17–28.
- Rahayu, A. (2020) ‘Metode Validasi Flame Atomic Absorption Spectrometry (FAAS) Metode Destruksi Kering dan Destruksi Basah untuk Analisis Mineral Minuman Air Isotonik’, *FARMASIS: Jurnal Sains Farmasi*, 1(1), pp. 6–13.
- Raj, S.B., Chandrasekhar, K.B. and Reddy, K.B. (2019) ‘Formulation, in-vitro and in-vivo pharmacokinetic evaluation of simvastatin nanostructured lipid carrier loaded transdermal drug delivery system’, *Future Journal of Pharmaceutical Sciences*, 5(1), pp. 1–14.
- Riskiana, N. (2021) ‘Studi Literature Etnofarmasi, Uji Toksisitas Akut *Hydnopytum* sp. pada Histologi Hati Mencit dan Pembuatan Nanostructured Lipid Carrier (NLC)’, *Bencoolen Journal Of Pharmacy*, 1(1), pp. 1–10.
- Rowe, R., Sheskey, P. and Owen, S. (2006) ‘Hand Book of Pharmaceutical Excipients’, *American Pharmaceutical Association, Pharmaceutical Press, London*, p. 918.
- Salsabilla, F.R. (2020) *Perbandingan Karakterisasi Sistem Nanostructured Lipid Carrier (NLC) Daun *Chrysanthemum cinerariifolium* (Trev.) Vis Dengan Variasi Konsentrasi Lipid*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Shah, N.V. *et al.* (2016) ‘Nanostructured lipid carriers for oral bioavailability enhancement of raloxifene: Design and in vivo study’, *Journal of advanced research*, 7(3), pp. 423–434.

- Sharma, A., Saini, S. and Rana, A.C. (2013) 'Transdermal drug delivery system: a review', *International Journal of research in pharmaceutical and biomedical sciences*, 4(1), pp. 286–292.
- Singhal, G.B. *et al.* (2011) 'Solid lipid nanoparticles and nano lipid carriers: As novel solid lipid based drug carrier', *Int Res J Pharm*, 2(2), pp. 20–52.
- Souto, E.B. and Müller, R.H. (2007) '14 Lipid Nanoparticles (Solid Lipid Nanoparticles and Nanostructured Lipid Carriers) for Cosmetic, Dermal, and Transdermal Applications', *Nanoparticulate drug delivery systems*, 166, p. 213.
- Suwiyarsa, I.N., Nuryanti, S. and Hamzah, B. (2018) 'Analisis kadar kafein dalam kopi bubuk lokal yang beredar di Kota Palu', *Jurnal Akademika Kimia*, 7(4), pp. 189–192.
- Vi, E. (2020) *INDONESIA*.
- Vitorino, C. *et al.* (2013) 'Co-encapsulating nanostructured lipid carriers for transdermal application: from experimental design to the molecular detail', *Journal of controlled release*, 167(3), pp. 301–314.
- Walters, K.A. (2002) *Dermatological and transdermal formulations*. CRC Press.
- Westesen, K. and Siekmann, B. (1997) 'Investigation of the gel formation of phospholipid-stabilized solid lipid nanoparticles', *International journal of pharmaceutics*, 151(1), pp. 35–45.
- Yadav, N.P. *et al.* (2014) 'A novel approach for development and characterization of effective mosquito repellent cream formulation containing citronella oil', *BioMed research international*, 2014.

Zhang, T. *et al.* (2011) 'Characterization and evaluation of nanostructured lipid carrier as a vehicle for oral delivery of etoposide', *European journal of pharmaceutical sciences*, 43(3), pp. 174–179.