



DAFTAR PUSTAKA

Unipa Surabaya

DAFTAR PUSTAKA

- Alfi, R., Lubis, F., Nasution, H. I., Zubir, M., Kimia, J., Matematika, F., Alam, P., & Medan, U. N. (2020). Microporous and Mesoporous Materials-2020-03-Production of Activated Carbon from Natural Sources for Water-Rizka Alfi Fadhilah Lubis.pdf. *Indonesian Journal of Chemical Science and Technology*, 3(2), 67–73.
- Asgari, M., Anisi, H., Mohammadi, H., & Sadighi, S. (2014). Designing a commercial scale pressure swing adsorber for hydrogen purification. *Petroleum and Coal*, 56(5), 552–561.
- Bhatnagar, A., Hogland, W., Marques, M., & Sillanpää, M. (2013). An overview of the modification methods of activated carbon for its water treatment applications. *Chemical Engineering Journal*, 219(March 2013), 499–511. <https://doi.org/10.1016/j.cej.2012.12.038>
- Bordes, J., Erwan d'Aranda, Savoie, P. H., Montcriol, A., Goutorbe, P., & Kaiser, E. (2014). FiO₂ delivered by a turbine portable ventilator with an oxygen concentrator in an Austere environment. *The Journal of Emergency Medicine*, 47(3), 306–312. <https://doi.org/10.1016/j.jemermed.2014.04.033>
- Cheah, P. K., Steven, E. M., Ng, K. K., Hashim, M. I., Abdul Kadir, M. H., & Roder, N. P. (2021). The use of dual oxygen concentrator system for mechanical ventilation during COVID-19 pandemic in Sabah, Malaysia. *International Journal of Emergency Medicine*, 14(1), 1–4. <https://doi.org/10.1186/s12245-021-00354-9>
- Chicano, J., Dion, C. T., Pasaogullari, U., & Valla, J. A. (2021). Simulation of 12-bed vacuum pressure-swing adsorption for hydrogen separation from methanol-steam reforming off-gas. *International Journal of Hydrogen Energy*, 46(56), 28626–28640. <https://doi.org/10.1016/j.ijhydene.2021.06.102>
- Coutu, P., Caulkett, N., Pang, D., & Boysen, S. (2015). Efficacy of a portable

oxygen concentrator with pulsed delivery for treatment of hypoxemia during equine field anesthesia. *Veterinary Anaesthesia and Analgesia*, 42(5), 518–526. <https://doi.org/10.1111/vaa.12246>

Daffa Nabilah Kartika. (2020). “Analisis Pressure Swing Adsorption pada Material Adsorbent untuk Aplikasi Oxygen Concentrator.” Skripsi. Program Sarjana Universitas Padjadjaran (Unpad). Sumedang.

Detik health. (2021, Agustus Senin). Diambil kembali dari <https://health.detik.com/berita-detikhealth/d-5675980/atasikekurangan-oksigen-who-kirim-700-oksigen-konsentrator-untuk-ri>

Editorial, E., Kr, M., Kr, M., Science, M., & Av, M. (2020). *Zeolites*.

Gauge, P. (2017). ANALISIS TEKANAN UDARA PADA KOMPRESSOR SENTRIFUGAL TINGKAT 2 Hamri , Mashur Pasarai , Abidin Nur Lahu Universitas Muslim Indonesia. *Jurnal Eknik Kimia*, 1.

Gorbalenya, A. E., Baker, S. C., Baric, R. S., de Groot, R. J., Drosten, C., Gulyaeva, A. A., Haagmans, B. L., Lauber, C., Leontovich, A. M., Neuman, B. W., Penzar, D., Perlman, S., Poon, L. L. M., Samborskiy, D. V., Sidorov, I. A., Sola, I., & Ziebuhr, J. (2020). The species Severe acute respiratory syndrome-related coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2. *Nature Microbiology*, 5(4), 536–544. <https://doi.org/10.1038/s41564-020-0695-z>

Graziano, L., Asciutti, D., Savi, D., Rivolta, M., Turinese, I., Schiavetto, S., Perelli, T., Bertasi, S., Valente, D., & Palange, P. (2019). P381 Efficacy of a portable oxygen concentrator in the promotion of physical activity and the quality of life in a group of patients with cystic fibrosis: pilot study. *Journal of Cystic Fibrosis*, 18, S165. [https://doi.org/10.1016/s1569-1993\(19\)30673-3](https://doi.org/10.1016/s1569-1993(19)30673-3)

Irwan, M., & Risnah. (2020). Analisis Perubahan Nilai Sistem Kardiovaskuler Dan Konsumsi Oksigen Maksimal (Vo2 Maks) Pada Atlet. *Bina Generasi : Jurnal Kesehatan*, 11(2), 35–41. <https://doi.org/10.35907/bgjk.v11i2.142>

Karmiza, M., & Huriani, E. (2014). Karmiza *, Muharriza *, Emil Huriani **, pergerakan oksigen dari atmosfer menuju ke menghasilkan energi dan keluarnya karbon dengan pompa ventilasi yang terdiri atas dinding dada , otot diafragma , isi dan dinding elastisitas paru dan struktur rangka dada. *Ners*, 9(Po 2), 59–65.

Kementerian Kesehatan Republik Indonesia (2020). Info Infeksi Emerging Kementerian Kesehatan RI. Di akses pada 24 September 2021, dari <http://infeksiemerging.kemkes.go.id/>.

Kompas. (2021, Juli Jum'at). Diambil kembali dari <https://www.kompas.com/tren/read/2021/07/30/133000865/mengenal-konsentrator-oksidigen-dan-cara-kerja-untuk-pasien-covid-19>

Kulkarni, S. J. (2016). *Pressure Swing Adsorption : A Summary on Investigations in Recent Past*. 3(October), 46–49.

Kusdarto. (2008). Potensi Zeolit Di Indonesia. *Jurnal Zeolit Indonesia*, 7(1411–6723), 2.

Lestari, W. W., Hasanah, D. N., Putra, R., Mukti, R. R., & Nugrahaningtyas, K. D. (2018). Transformation of Indonesian Natural Zeolite into Analcime Phase under Hydrothermal Condition. *IOP Conference Series: Materials Science and Engineering*, 349(1). <https://doi.org/10.1088/1757-899X/349/1/012068>

Meriatna, Maulinda, L., Khalil, M., & Zulmiardi. (2015). Pengaruh Temperatur Pengeringan dan Konsentrasi Asam Sitrat Pada Pembuatan Silika Gel Dari Sekam Padi. *Jurnal Teknologi Kimia Unimal*, 4(1), 78–88.

Meyori, F., Elvia, R., & Candra, I. N. (2018). Kopresipitasi Dari Pasir Pantai Panjang Bengkulu. *Jurnal Pendidikan Dan Ilmu Kimia*, 2(1), 46–51.

Moll, J. R. onald., Vieira, J. E. dso., Gozzani, J. L. auz., & Mathias, L. A. S. ilv. T. (2014). Oxygen concentrators performance with nitrous oxide at 50:50 volume. *Brazilian Journal of Anesthesiology (Elsevier)*, 64(3), 164–168.

<https://doi.org/10.1016/j.bjane.2013.06.011>

Nikmawati, A., Windarwati, W., & Hardjoeno, H. (2018). RESISTENSI Mycobacterium Tuberculosis TERHADAP OBAT ANTI TUBERKULOSIS. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 12(2), 58. <https://doi.org/10.24293/ijcpml.v12i2.843>

Nurrahmawati, A., Harmadi, H., & Okta Biolita, N. (2018). Rancang Bangun Alat Ukur Konsentrasi Oksigen yang Dihasilkan oleh Fotobioreaktor Mikroalga Chlorella Vulgaris. *Jurnal Otomasi Kontrol Dan Instrumentasi*, 10(1), 49. <https://doi.org/10.5614/joki.2018.10.1.5>

Rais, I. U. N., Irawan, D. M., Syamsuddin, Y. A., & Murtyas, S. D. (2018). *Analisis Mikro Struktur Absortivitas Silika Gel Pada Kondisi Temperatur dan Relative Humidity (RH) Dinamis*. 1(7), 1–5.

Razzak, M. T., Las, T., & Priyambodo, P. (2013). The Characterization of Indonesian's Natural Zeolite For Water Filtration System. *Jurnal Kimia VALENSI*, 3(2), 129–137. <https://doi.org/10.15408/jkv.v3i2.518>

Rybak, M., Huffman, L. C., Nahouraii, R., Loden, J., Gonzalez, M., Wilson, R., & Danielson, P. D. (2017). Ultraportable oxygen concentrator use in U.S. army special operations forward area surgery: A proof of concept in multiple environments. *Military Medicine*, 182(1), e1649–e1652. <https://doi.org/10.7205/MILMED-D-16-00100>

Sanga, L., Purba, L., & Harefa, N. (2020). Pengaruh Kandungan Oksigen Udara Sekolah Terhadap Konsentrasi Belajar Siswa. *Jurnal EduMatSains*, 4(2), 169–182.

Sees, M. D., Kirkes, T., & Chen, C. C. (2021). A simple and practical process modeling methodology for pressure swing adsorption. *Computers and Chemical Engineering*, 147, 107235. <https://doi.org/10.1016/j.compchemeng.2021.107235>

Sugiyono. (2019). Metode Penelitian Pendekatan Kuantitatif, Kualitatif, dan R&D.

Bandung: Alfabeta

Susilo, A., Rumende, C. M., Pitoyo, C. W., Santoso, W. D., Yulianti, M., Herikurniawan, H., Sinto, R., Singh, G., Nainggolan, L., Nelwan, E. J., Chen, L. K., Widhani, A., Wijaya, E., Wicaksana, B., Maksum, M., Annisa, F., Jasirwan, C. O. M., & Yunihastuti, E. (2020). Coronavirus Disease 2019: Tinjauan Literatur Terkini. *Jurnal Penyakit Dalam Indonesia*, 7(1), 45. <https://doi.org/10.7454/jpdi.v7i1.415>

Susilowati, S. E. (2015). *Penurunan Kinerja Kompresor Untuk Starting*. April, 8–17.

Syawaluddin, & Yusuf, M. (2011). Perencanaan Kompresor Piston Pada Tekanan Kerja Max 2 N/mm². ___, ___, 18–29.

Tong, L., Bénard, P., Zong, Y., Chahine, R., Liu, K., & Xiao, J. (2021). Artificial neural network based optimization of a six-step two-bed pressure swing adsorption system for hydrogen purification. *Energy and AI*, 5, 100075. <https://doi.org/10.1016/j.egyai.2021.100075>

Triady, R., & Triyanto, D. (2015). Prototipe Sistem Keran Air Otomatis Berbasis Sensor Flowmeter pada Gedung Bertingkat. *Jurnal Coding Sistem Komputer Untan*, 03(3), 25–34.

World health Organization. (2020). Novel Coronavirus (2019-nCoV) Situation Report – 54. Di akses pada 24 September 2021, dari <https://www.who.int/>.

Widiatmoko, A., Gede, I. D., Wisana, H., & Rahmawati, T. (2019). *Rancang Bangun Pengukur Konsentrasi Oksigen Pada Alat Bubble CPAP*. 8, 182–188.

Yahya, M. A., Mansor, M. H., Zolkarnaini, W. A. A. W., Rusli, N. S., Aminuddin, A., Mohamad, K., Sabhan, F. A. M., Atik, A. A. A., & Ozair, L. N. (2018). A brief review on activated carbon derived from agriculture by-product. *AIP Conference Proceedings*, 1972(June). <https://doi.org/10.1063/1.5041244>

Zarkasi, M., Mulia, S. B., & Eriyadi, M. (2018). Hal. 53-60 Performa Solenoid pada Valve Alat Pengisian Air Minum Otomatis. *Elektra*, 3(2), 53–60.
<https://pei.e-journal.id/jea/article/view/55>

Zhang, Q., Liu, Y., Li, Z., Xiao, P., Liu, W., Yang, X., Fu, Y., Zhao, C., Yang, R. T., & Webley, P. A. (2021). Experimental study on oxygen concentrator with wide product flow rate range: individual parametric effect and process improvement strategy. *Separation and Purification Technology*, 274(January), 118918. <https://doi.org/10.1016/j.seppur.2021.118918>