

Daftar Pustaka

1. Anandan K, Rajendran V. Morphological and size effects of NiO nanoparticles via solvothermal process and their optical properties. *Mater Sci Semicond Process* [Internet]. 2011;14(1):43–7. Available from: <http://dx.doi.org/10.1016/j.mssp.2011.01.001>
2. Aziz M, Saber Abbas S, Wan Baharom WR. Size-controlled synthesis of SnO₂ nanoparticles by sol-gel method. *Mater Lett* [Internet]. 2013;91:31–4. Available from: <http://dx.doi.org/10.1016/j.matlet.2012.09.079>
3. Budipramana Y, Suprpto, Ersam T, Kurniawan F. Synthesis nickel hydroxide by electrolysis at high voltage. *ARNP J Eng Appl Sci*. 2014;9(11):2074–7.
4. Davar F, Salavati-Niasari M, Fereshteh Z. Synthesis and characterization of SnO₂ nanoparticles by thermal decomposition of new inorganic precursor. *J Alloys Compd* [Internet]. 2010;496(1–2):638–43. Available from: <http://dx.doi.org/10.1016/j.jallcom.2010.02.152>
5. Krishnakumar T, Jayaprakash R, Parthibavarman M, Phani AR, Singh VN, Mehta BR. Microwave-assisted synthesis and investigation of SnO₂ nanoparticles. *Mater Lett* [Internet]. 2009;63(11):896–8. Available from: <http://dx.doi.org/10.1016/j.matlet.2009.01.032>.
6. Liewhiran C, Tamaekong N, Wisitsoraat A, Phanichphant S. Highly selective environmental sensors based on flame-spray-made SnO₂ nanoparticles. *Sensors Actuators, B Chem* [Internet]. 2012;163(1):51–60. Available from: <http://dx.doi.org/10.1016/j.snb.2011.12.097>
7. Liu X, Yu L. Influence of nanosized Ni(OH)₂ addition on the electrochemical performance of nickel hydroxide electrode. *J Power Sources*. 2004;128(2):326–30.
8. Luque PA, Garrafa-Gálvez HE, Nava O, Olivas A, Martínez-Rosas ME, Vilchis-Nestor AR, et al. Efficient sunlight and UV photocatalytic degradation of Methyl Orange, Methylene Blue and Rhodamine B, using *Citrus×paradisi* synthesized SnO₂ semiconductor nanoparticles. *Ceram Int*. 2021;47(17):23861–74.

9. Olafsdottir, A. H. dan Sverdrup, H. U. (2018) “Modelling global mining, secondary extraction, supply, stocks-in-society, recycling, market price and resources, using the WORLD6 Model; tin,” *BioPhysical Economics and Resource Quality*, 3(3), hal. 11. doi: 10.1007/s41247-018-0041-8.
10. Pavelko RG, Vasiliev AA, Llobet E, Vilanova X, Barrabés N, Medina F, et al. Comparative study of nanocrystalline SnO₂ materials for gas sensor application: Thermal stability and catalytic activity. *Sensors Actuators, B Chem.* 2009;137(2):637–43.
11. Powell, W., Yazgan, E., Johnson, M., Yener, K. A. dan Mathur, R. (2021) “Mineralogical analysis of the Kestel Mine: An early bronze age source of tin ore in the Taurus Mountains, Turkey,” *Minerals*, 11(1), hal. 91. doi: 10.3390/min11010091.
12. Sequinel T, Cava S, Berger D, Tebcherani SM, Pianaro SA, Schmidt S. Synthesis and characterization of microspheres composed of SnO₂ nanoparticles processed via a chemical route. *Powder Technol [Internet]*. 2009;196(2):180–3. Available from: <http://dx.doi.org/10.1016/j.powtec.2009.07.019>
13. Sun P, Mei X, Cai Y, Ma J, Sun Y, Liang X, et al. Synthesis and gas sensing properties of hierarchical SnO₂ nanostructures. *Sensors Actuators, B Chem [Internet]*. 2013;187:301–7. Available from: <http://dx.doi.org/10.1016/j.snb.2012.11.043>.
14. Yu Z, Zhu S, Li Y, Liu Q, Feng C, Zhang D. Synthesis of SnO₂ nanoparticles inside mesoporous carbon via a sonochemical method for highly reversible lithium batteries. *Mater Lett [Internet]*. 2011;65(19–20):3072–5. Available from: <http://dx.doi.org/10.1016/j.matlet.2011.06.053>
15. Zamand N, Nakhaei Pour A, Housaindokht MR, Izadyar M. Size-controlled synthesis of SnO₂ nanoparticles using reverse microemulsion method. *Solid State Sci [Internet]*. 2014;33:6–11. Available from: <http://dx.doi.org/10.1016/j.solidstatesciences.2014.04.005>